HI-PERFORMANCE

LUCAS OIL PRODUCTS INC.®

PRODUCT CATALOG



Table of Contents

ENGINE OIL ADDITIVES	
Heavy Duty Oil Stabilizer	5
Pure Synthetic Oil Stabilizer	5
Engine Oil Stop Leak	5
Low Viscosity Stabilizer	5
High Mileage Oil Stabilizer	6
Engine Oil Stop Leak Top Off Additive	6
MULTI-SYSTEM ADDITIVE	
Complete Engine Treatment	6
FUEL TREATMENTS	
Upper Cylinder Lubricant Fuel Treatment	7
Fuel Treatment Concentrate	7
Deep Clean™ Fuel System Cleaner	7
Complete Fuel System Renewal Kit	7
Diesel Deep Clean™	7
Deep Clean™ GDI	8
High Mileage Fuel Treatment	8
Octane Booster	8
Cetane Power Booster	8
Safeguard™ Ethanol Fuel Conditioner	9
Fuel Stabilizer	9
Anti-Gel Cold Weather Diesel Treatment	9

PROBLEM SOLVERS & UTILITY LUBRICANTS	
Super Coolant	9
Power Steering Stop Leak	10
Power Steering Fluid	10
Power Steering Fluid with Conditioners	10
Hand Sanitizer	10
Transmission Fix	11
Penetrating Oil	11
Tool Box Buddy	11
Air Tool Lubricant	11
Chain Lubricant	12
Chain Lube Aerosol	12
TB Zinc Plus Engine Break-In Oil Additive	12
Multi-Purpose Parts Cleaner & Degreaser	12
Synthetic Brake Fluid DOT 3 & DOT 4	13
Brake Parts Cleaner	13
5th Wheel & Slider Lube	13
Hub Oil	13
GEAR OILS & TRANSMISSION FLUIDS	
Heavy Duty Gear Oils	14
Pure Synthetic Gear Oils	14
Industrial Gear Oils	14
Semi-Synthetic “Sure Shift” ATF	15
Semi-Synthetic Multi-Vehicle ATF	15
Full Synthetic Multi-Vehicle ATF	15
Automatic Transmission Fluid Conditioner	16

Synthetic Multi-Vehicle CVT Fluid	16
Pure Synthetic 50WT. Transmission Oil	16
Anti-Squawk/Anti-Shudder Additive	16
GREASES	
Red “N” Tacky Grease	17
Red “N” Tacky Spray Grease	17
X-Tra Heavy Duty Grease	17
Red “N” Tacky/5th Wheel Lube	17
Heavy Duty Mining & Construction Grease	18
White Lithium Grease	18
Multi-Purpose Grease Combo Packs	18
HEAVY DUTY TRUCK OILS	
Heavy Duty CK-4 Motor Oils	19
SAE 15W-40 Magnum CI-4 High TBN Oils	19
Synthetic Magnum CJ-4 Motor Oils	19
Synthetic Blend SAE 10W-30 FA-4 MAX FE	20
HYDRAULIC OILS	
Hydraulic Oil Booster & Stop Leak	21
Universal Hydraulic & Transmission Fluid	21
Synthetic Universal Hydraulic & Transmission Fluid	21
Anti-Wear Hydraulic Oils	22
R&O Hydraulic Oils	22
Heavy Duty Trans & Drive Train Oils	22
Non-Conductive AW Hydraulic Oils	23
Synthetic Compressor Oils	23
Multi-Viscosity AW ISO 32 Hydraulic Oil	23
HIGH PERFORMANCE MOTOR OILS	
Synthetic Motor Oils	24
Semi-Synthetic SAE 10W-40 Motor Oil	24
Petroleum Motor Oils	24
Hot Rod & Classic Oils	25
European Motor Oils	25
MOTORCYCLE PRODUCTS	
High Performance Motorcycle Oils	26
Synthetic SAE 50 WT. V-Twin Oil	26
Synthetic SAE 75W-140 V-Twin Gear Oil	26
Primary Chaincase Oil	27
Semi-Synthetic SAE 10W-40 ATV/UTV Oil	27
SxS 4-Stroke Engine Oil	27
SxS Command Drive Front Differential Fluid	28
SxS Multi-Purpose Gearcase and Differential Fluid	28
SxS Transmission Fluid	28
Synthetic Fork Oils	29
Motorcycle Oil Stabilizer	29
Contact Cleaner	29
Synthetic 80W-85W Transmission Oil	30
High Performance Foam Filter Oil	30
2-CYCLE OILS	
Semi-Synthetic 2-Cycle Oil	31
Semi-Synthetic TC-W3® 2-Cycle Land & Sea	31
Synthetic 2-Cycle Snowmobile Oil	31

MARINE PRODUCTS

Marine Engine Oils 32
Outboard & Inboard Marine Engine Oils 32
Heavy Duty Marine Diesel Engine Oils SAE 15W-40 32
Marine 2-Cycle Oil 33
Synthetic Marine ATF Type FA 33
Synthetic M8 Marine Gear Oil 33
Fishing Reel Oil 33
Marine Fuel Treatment 34
Marine Grease 34
Slick Mist® Marine Speed Wax 34

OUTDOOR PRODUCTS

Hunting Gun Oil 35
Extreme Duty Gun Oil 35
Extreme Duty CLP 35
Extreme Duty Gun Grease 35
Gun Metal Polish & Tumbler Media Additive 36
Extreme Duty Bore Solvent & Ultrasonic Gun 36
Extreme Duty Gun Cleaner 36
Applicator Bottle 36

RACING PRODUCTS

Synthetic Racing Engine Oils 37
Synthetic SAE 5W-20 Jr. Dragster Racing Oil 37
Semi-Synthetic Racing Engine Oils 37
Conventional Racing Engine Oils 38
Racing Formula Synthetic 2-Cycle Oil 38
Racing Suspension Fluid 38
L-Series Racing Gear Oils 39
Synthetic SAE 140 & 250 Racing Gear Oils 39
Assembly Lube 39
Racing Assembly Grease 40
Extreme Pressure Synthetic Grease 40
Low Viscosity Synthetic FL-0 40
Semi-Synthetic Type F ATF 41
Sprocket & Chain Lube 41
Engine Break-In Oils 41

APPEARANCE PRODUCTS

Slick Mist® Speed Wax 42
Slick Mist® Interior Detailer 42
Slick Mist® Tire & Trim Shine 42
Slick Mist® Detailing Kit 43
Metal Polish 43

TYPICAL ZINC VALUES 43

PROMOTIONAL ITEMS & DISPLAY KITS

TDS Booklet, Catalogs, Brochures & Pamphlets 44
Starter Kit 44
Demonstrator 44
Extreme Duty Gun Oil Counter Display 45
Fishing Reel Oil Counter Display 45
Slick Mist® Speed Wax Counter Display 45

Original Gun Oil Counter Display	45
Tool Box Buddy Counter Display	45
Safeguard™ Counter Display	45
Motorcycle Octane Booster Counter Display	45
Complete Engine Treatment Counter Display	45
Red 'N' Tacky/5th Wheel Lube Counter Display	45
ASSORTMENT RACKS	
Display Rack	46
Specialty Assortment Rack	46
Agriculture Assortment Rack	46
Heavy Duty Assortment Rack	46
Heavy Duty CK-4 Assortment Rack	47
Hot Rod Assortment Rack	47
Marine Assortment Rack	47
Motorcycle Assortment Rack	47
Racing Only Assortment Rack	48
Winter Assortment Rack	48
BAG IN A BOX	
Bag in a Box System	49
CONTACT	50

HI-PERFORMANCE LUCAS OIL PRODUCTS INC.®

HEAVY DUTY OIL STABILIZER

Lucas Heavy Duty Oil Stabilizer is the #1 heavy duty and high performance oil supplement in the world. It eliminates dry starts and resists thermal breakdown for total protection in new engines. It stops smoking, knocking and oil consumption in worn engines. It raises oil pressure, adds lubricity, lowers oil temperatures and stops leaks. It also extends oil life by at least 50%. Use it in any manual transmission or differential to stop wear, leaks, heat, noise and hard shifting. This product safely blends with all petroleum products, even synthetics. It will not void new car warranties.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10001	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases	10015	10091
10002	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases		

PURE SYNTHETIC OIL STABILIZER

Lucas Pure Synthetic Oil Stabilizer is perfect for use in new equipment that requires synthetic oils or any equipment that needs enhanced performance. It's the perfect addition to race cars, new cars and four-cylinder cars. Controls heat and wear in motorcycles, air-cooled engines and all drive-train components. This product greatly reduces friction, improving vehicle performance and fuel economy.

Light enough for an import, tough enough for a semi.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10130	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases	10132	10134
10131	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases		

ENGINE OIL STOP LEAK

Lucas Engine Oil Stop Leak is a unique formulation of Lucas additives and base stocks designed to stop leaks in engines. It is also an exceptional additive for worn and older engines, reducing engine noise and oil consumption while raising oil pressure. It contains no harmful solvents and can actually extend engine oil life by 50% or more.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10278	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases	10281	10103
10279	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases		

LOW VISCOSITY STABILIZER

Lucas Low Viscosity Stabilizer is a new oil additive product specifically designed to amplify the life and performance of a modern engine that uses lower viscosity engine oils. The product improves fuel economy and power by reducing the level of friction which improves any premium quality motor oil. It is a multi-functional oil additive which reduces friction for more power and fuel economy, improves dispersancy to fight carbon deposits, sludge and varnish and contains antioxidants to help motor oil resist thermal breakdown. Above all, it reduces wear, extending the life of the engine.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
11097	12x1	12 oz	355 mL	10.5 lbs	4.8 kg	150 Cases

HIGH MILEAGE OIL STABILIZER



Lucas High Mileage Oil Stabilizer is a 100% petroleum product - developed in the laboratory and tested in the field for maximum reliability. It is a specially blended formulation of premium base oils and petroleum extractives for use in a wide range of engine and gear box applications. It is meant to be used as an additive to existing engine or transmission oils. It creates a coating that clings to metallic surfaces, eliminating dry starts that create the most damage and wear in an older engine. This product is for use in ALL engine-driven vehicles, and HIGHLY RECOMMENDED for recreational vehicles, farm equipment, industrial equipment as well as construction and military vehicles and equipment.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10118	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases

ENGINE OIL STOP LEAK TOP OFF ADDITIVE



Lucas Engine Oil Stop Leak Top Off Additive is a long lasting product designed for high mileage engines. It conditions seals and o-rings to stop oil leaks and slow oil consumption. Contains state-of-the-art components to reduce friction and wear and extend engine life. Effective seal conditioning agents are used to condition hard and shrunken seals and gaskets. 1 quart treats up to 6 quart capacity. It mixes with all engine oils, conventional and synthetic and at any viscosity grade.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
11100	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases

COMPLETE ENGINE TREATMENT



Lucas Complete Engine Treatment is a unique formulation that cleans and lubricates multiple systems in your vehicle. When added to fuel, it cleans and lubricates all components from the fuel tank to the cylinders. It removes deposits, protects against corrosion and helps the fuel to burn more completely, which helps to lower emissions, improves fuel mileage and increases power. When added to your oil, Lucas Complete Engine Treatment cleans your engine and forms a protective barrier against heat and friction, improves oil flow in cold weather and extends oil life. Contains no alcohol. FOR ALL ENGINES AND OIL TYPES.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10016	12x1	1 Pint	473 mL	14 lbs	6.4 kg	126 Cases

UPPER CYLINDER LUBRICANT FUEL TREATMENT

Lucas Upper Cylinder Lubricant Fuel Treatment is formulated for gasoline and diesel engines. It contains no harmful solvents or alcohol. This product is a blend of heat resistant, super slick oils and additives with a high detergent action that cleans as it lubricates the fuel system. It also causes the fuel to burn more efficiently for greater fuel economy and fewer emissions. It negates the harmful effects of "reformulated gasoline" especially in older automobiles and 2-cycle engines. Use in diesel engines to neutralize the harmful effects of ultra low sulfur diesel fuel. This product WILL raise MPG.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10020	24x1	5.25 oz	155 mL	10 lbs	4.5 kg	224 Cases	10080	10090
10003	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases		
10013	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases		

Fuel Treatment Concentrate	5 Gal Pail	330 Gal Tote
	11042	10515

DEEP CLEAN™ FUEL SYSTEM CLEANER

Lucas Deep Clean™ Fuel System Cleaner lubricates and cleans the entire fuel system, reduces green house gas emissions (carbon monoxide, hydrocarbons, NOx), increases power and acceleration, and improves MPG. This product is alcohol free and oxygen sensor safe. Deep Clean™, a REAL fuel system cleaner.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10512	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases	10675	10575
10669	24x1	5.25 oz	155 mL	10 lbs	4.5 kg	224 Cases		

COMPLETE FUEL SYSTEM RENEWAL KIT

The Lucas Complete Fuel System Renewal Kit is your all-in-one system maintenance solution! Just follow the 4 easy steps to eliminate gum, varnish, particulate matter and corrosion from all lines and components. This kit restores maximum power and efficiency to your engine for a smooth, reliable ride. There's no more effective way to restore your vehicle's performance. For any gasoline vehicle.



Product Number	Per Case	U.S. Weight	INT'L Weight	Qty. Per Pallet
10966	4x1	10 lbs	4.5 kg	175 Cases

DIESEL DEEP CLEAN™

Lucas Diesel Deep Clean™ is a new Lucas technology developed to reduce the cost and hassle of particulate filter maintenance. It's an excellent preventative maintenance product. It causes the fuel to burn much cleaner, thus eliminating a lot of particulate matter that would otherwise go into the exhaust system causing "regens." It cleans out much of the matter already trapped in the filter. This eliminates exhaust back pressure allowing the engine to run easier and cooler as well as lowering the aggravation and down time associated with particulate filters.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10872	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases	N/A	10071
10873	6x1	½ Gallon	1.893 L	24 lbs	11 kg	80 Cases		

DEEP CLEAN™ GDI



Lucas Deep Clean™ GDI is an aerosol product developed to help clean the entire air intake system as well as the combustion chamber and turbo (if so equipped), including: the intake manifold, runners and ports and of course intake valves. A blend of effective solvents and fuel detergents that gets to places where tank additives can't reach. A single application can remove substantial amounts of IVD (Intake Valve Deposits) resulting in a better running engine with more power and improved fuel economy. Effective in vehicles equipped with conventional port fuel injection. An easily applied product requiring a minimum of disassembly.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
11096	12x1	11 oz net	311g	11 lbs	5 kg	108 Cases

HIGH MILEAGE FUEL TREATMENT



Lucas High Mileage Fuel Treatment is created specifically to restore lost power and performance in high-mileage vehicles. It cleans and lubricates fuel system components, removes valve deposits, lessens oil contamination and stops knocking and hesitation. It works great in modern port-injected engines, maintaining maximum flow and providing lubrication to critical parts. Oxygen-sensor safe. Contains No Alcohol.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10977	24x1	5.25 oz	155 mL	10 lbs	4.5 kg	224 Cases

⚠ WARNING: This product can expose you to naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

OCTANE BOOSTER



Lucas Octane Booster is a GENUINE Performance Enhancer! Tested and proven to deliver three times more boost than most other brands. It's safe for turbos, oxygen sensors and catalytic converters. Stops knocks and raises MPG in high compression engines. Safe for any gasoline engine. Not recommended in 2-stroke engines. Available in a 2 oz. motorcycle size.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10026	12x1	15 oz	444 mL	12.5 lbs	5.7 kg	132 Cases
10725	18x1	2 oz	59 mL	3.6 lbs	1.6 kg	252 Cases
10930	24x1	5.25 oz	155 mL	10 lbs	4.5 kg	224 Cases

⚠ WARNING: This product can expose you to naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

CETANE POWER BOOSTER



Lucas Cetane Power Booster is a diesel fuel supplement that contains effective lubricants for the engine's high-pressure fuel injection pump. Expect cleaner exhaust, longer filter life, easier start ups and smoother idle, as well as, more power, more MPG and longer engine life. It adds much needed cleaners and lubricants to the diesel fuel and reduces wear by more than 27% in unadditized diesel fuel. It lubricates rings and cylinders for longer engine life and it maintains peak performance by reducing injector coking and internal injector deposits.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
11031	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases	N/A	10504
11032	6x1	½ Gallon	1.893 L	24 lbs	11 kg	80 Cases		

⚠ WARNING: This product can expose you to benzene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SAFEGUARD™ ETHANOL FUEL CONDITIONER

Lucas Safeguard™ Ethanol Fuel Conditioner was specially developed to prevent corrosion and degradation in ethanol based fuels caused by fuel separation. It protects your motor oil from the harmful side effects of alcohol combustion. It can be used in E-10, E-15, E-85, pure alcohol or any alcohol gasoline combination, even pure gasoline. For use in 2 and 4 stroke engines.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10576	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases
10670	24x1	5.25 oz	155 mL	10 lbs	4.5 kg	224 Cases
10929	18x1	2 oz	59 mL	3.6 lbs	1.6 kg	252 Cases

⚠ WARNING: This product can expose you to ethylbenzene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

FUEL STABILIZER

Lucas Fuel Stabilizer is the best solution to prevent gasoline breakdown during storage. It cleans, lubricates and maintains fuel pumps, carburetors, fuel injectors and compression rings. Safe to use in all grades of gasoline and in all 2 and 4-stroke engines. Easy to use! Application rate, 1 oz. treats 1 gallon.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10314	12x1	8 oz	237 mL	7 lbs	3.2 kg	256 Cases	10324	10326
10302	12x1	15 oz	444 mL	12 lbs	5.5 kg	132 Cases		
10303	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases		

ANTI-GEL COLD WEATHER DIESEL TREATMENT

Lucas Anti-Gel Cold Weather Diesel Treatment was especially designed to prevent cold filter plugging, fuel thickening and gelling in ULSD, diesel and bio-diesel fuels. The product is manufactured with the highest quality components to provide maximum performance. It contains REAL water dispersants to effectively remove moisture from the entire fuel system. Contains no alcohol, will not void OEM warranties and has no harmful effects on diesel particulate filters.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10865	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases	10867	10868
10866	6x1	½ Gallon	1.893 L	24 lbs	11 kg	80 Cases		

⚠ WARNING: This product can expose you to chemicals including naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SUPER COOLANT

Lucas Super Coolant has been scientifically formulated to provide the ultimate protection in automotive and racing cooling systems. It protects the entire system from rust, corrosion and electrolysis including aluminum and has been proven to reduce coolant temperatures up to 20ºF. Its unique formula prevents deposits that can cause overheating. Lower cylinder head temperatures means advanced ignition time and more horsepower. This product is also good for motorcycles/ATVs. ***MOLYBDATE FREE FORMULA***



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10640	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases

POWER STEERING STOP LEAK

Lucas Power Steering Stop Leak is also effective at removing hard spots and tightness in worn rack and pinions and the noisy whine in some Ford pumps. To correct these problems empty the reservoir and refill it with Lucas Power Steering Stop Leak (usually 12 oz). Compatible with all power steering fluids. Contains no harmful solvents.

Money Back Guarantee on Seal Leaks Only.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10008	12x1	12 oz	355 mL	10 lbs	4.5 kg	160 Cases	10143	10145
10011	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases		

POWER STEERING FLUID

Lucas Power Steering Fluid is a general purpose product. It is formulated with special base oils and additives that add lubricity to help stop wear and improve performance. It contains mild seal conditioning agents that condition o-rings and seals to help prevent small leaks. Maintains smooth power steering operation and helps stop pump squealing. Contains supplemental oxidation inhibitors and foam inhibitors to help extend fluid life.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10823	12x1	12 oz	355 mL	9 lbs	4 kg	132 Cases
10824	6x1	1 Quart	946 mL	12.5 lbs	5.67 kg	168 Cases

POWER STEERING FLUID WITH CONDITIONERS

Lucas Power Steering Fluid with Conditioners is formulated with the highest quality synthetic base oils and unique Lucas additive chemistry to prevent power steering leaks, provide smooth operation and eliminate squealing. This product is compatible with both synthetic and conventional power steering fluids and provides excellent performance in both domestic and foreign vehicles including Hondas. It can be used as makeup or as a complete change out and has excellent cold temperature properties.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10442	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases	10932	N/A

⚠ WARNING: This product can expose you to chemicals including toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

HAND SANITIZER

In response to the health crisis created by COVID-19, Lucas Oil introduced a hand sanitizer to its line of trusted products. It is ideal to use when soap and water are not conveniently available. It is a topical solution of 80% ethyl alcohol in a water thin formula. A fast-acting antiseptic, unscented, with a milder odor than isopropyl alcohol based formulas. It contains a small amount of glycerin to help reduce skin dryness other hand sanitizers can cause. Formulated strictly in accordance with FDA guidance and recommendations, as well as manufactured and packaged in an FDA registered facility, so you can be assured of the efficacy and performance of our product.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
11175	6x1	½ Gallon	1.893 L	24 lbs	11 kg	80 Cases
11176	50x1	2 oz	59 mL	7.7 lbs	3.5 kg	150 Cases

TRANSMISSION FIX

Lucas Transmission Fix stops slipping in worn transmissions. It also cleans and lubricates sticking valves for proper shifting. This product will extend fluid life up to three times longer. It completely stops most seal leaks and controls heat and foaming. It's the perfect preventative maintenance product to stop initial wear in newer transmissions. A must for motor homes, towing vehicles, and all other hard working transmissions. Compatible with all transmissions and transmission fluids with the exception of CVT transmissions and transmission fluids. Will not void new car warranties. Contains no harmful solvents. Use also in light duty manual transmissions. (Results are usually immediate.)



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10009	12x1	24 oz	710 mL	19 lbs	8.6 kg	70 Cases	10087	10141

PENETRATING OIL

Lucas Penetrating Oil is one of our newest products packaged in an aerosol can. This product can be used on nuts, bolts, bearings, hinges, sliding doors or a million other home and shop uses. The formula is petroleum based and designed to provide a microscopic film that rust proofs for up to a year inside or out. In addition to its non-silicone formula, it is fortified with anti-seize agents to be a truly superior penetrant to dissolve corrosion and rust without drying. The low odor formula has a locking pop-up tube and 360° application range, even upside down. The lubricating qualities are similar to a heavy oil but have the penetrating qualities of a solvent. The petroleum base provides excellent water protection even against salt water. A body shop safe product that is compliant in all 50 states.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
11043	12x1	11 oz net	311 g	11 lbs	5 kg	108 Cases

TOOL BOX BUDDY

Lucas Tool Box Buddy is formulated with a unique Lucas additive chemistry that lubricates, penetrates, dissolves rust and provides indoor and outdoor rust protection against water, even salt water. It lubricates better, penetrates deeper and cuts rust faster than any other products. Excellent for locks, air tools, or anything exposed to moisture. Fits easily in any tool box. Excellent for household use. Does not contain harmful solvents.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10070	18x1	2 oz	59 mL	3.6 lbs	1.6 kg	252 Cases

AIR TOOL LUBRICANT

Lucas Heavy Duty Air Tool Lubricant is a long lasting, super slick product that allows air tools to run easier and last longer. It's a complex blend of pure petroleum oils and additives specially formulated to combat rust and varnish for the working professional. It coats the working parts with a cushion of water-proof lubricants that resist "blow-out," enabling it to lube the tool, not the floor.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10216	12x1	1 Pint	473 mL	13 lbs	5.9 kg	140 Cases	10225	10092
10200	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases		

CHAIN LUBRICANT

Lucas Chain Lubricant has excellent high temperature stability and clinging qualities. It contains organic Moly plus a complex blend of special additives and select base oils. It is a long lasting, all-weather, all-temperature lubricant and protectant for chains, sprockets, cables and open gears. It has a stronger lubricant film than grease and is impervious to salt water.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10014	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases	10025	10036

CHAIN LUBE AEROSOL

Lucas Chain Lube is formulated with unique Lucas additive chemistry that penetrates deeply into the pins and bushings of the chains and provides excellent rust and corrosion protection as well as outstanding water resistance. Our product does not sling off and resists rust. It has been tested by professional motorcycle riders and can be used on all chain types. It sprays in any direction, even upside down, and has a unique foam property.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10393	12x1	11 oz net	311 g	11 lbs	5.0 kg	108 Cases

TB ZINC PLUS ENGINE BREAK-IN OIL ADDITIVE

Lucas TB Zinc Plus Engine Break-In Oil Additive is especially formulated with ZDDP to protect camshaft lifters and valve train during break-in period of motor. Extreme pressure additives enhance protection in any engine. Excellent for flat tappet camshafts during break-in or as an additive to any motor oil to prevent premature wear. Use with every oil change to increase the zinc content of your motor oil.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10063	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases	N/A	10472

MULTI-PURPOSE PARTS CLEANER & DEGREASER

Lucas Multi-Purpose Parts Cleaner and Degreaser is formulated with advanced Polyetheramine (PEA) detergents to clean and degrease carburetors, chokes, brake calipers, rotors, air intakes, throttle bodies and all unpainted metal parts. PEA is a highly effective cleaning agent that helps remove unwanted deposits such as gum, varnish, oil, brake fluid, grease, dirt and sludge. It is a fast drying, multi-purpose product suitable for all automotive cleaning and degreasing. It removes any build-up that can cause loss of power, rough idle, high emissions and hard starting, and cleans brakes for better performance and smoother operation. One product for all your degreasing and solvent cleaning jobs. Does not contain CFC's or chlorinated solvents. 50 state VOC compliance.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
11115	12x1	16 oz net	454 g	12.5 lbs	5.7 kg	90 Cases

WARNING: This product can expose you to chemicals including toluene, which is known to the State of California to cause birth defects or other reproductive . For more information go to www.P65Warnings.ca.gov.

SYNTHETIC BRAKE FLUID DOT 3 & DOT 4

Lucas DOT 3 and DOT 4 Brake Fluids are compatible with all brake system rubber components and other brake fluids. They prevent seal hardening or softening. They also protect against rust and corrosion and provide excellent lubricity. These brake fluids are recommended for use in both disc and drum brake system and clutch system where this type of product is called out for.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
DOT 3	10825	12x1	12 oz	355 mL	15 lbs	6.8 kg	160 Cases
	10826	12x1	1 Quart	946 mL	27 lbs	12.2 kg	66 Cases
	10826-6	6x1	1 Quart	946 mL	13.5 lbs	6.1 kg	132 Cases
DOT 4	10827	12x1	12 oz	355 mL	15 lbs	6.8 kg	160 Cases
	10788-6	6x1	1 Quart	946 mL	13.5 lbs	6.1 kg	132 Cases

BRAKE PARTS CLEANER

Lucas Non-Chlorinated Brake Parts Cleaner is manufactured with the highest quality components to provide excellent performance without leaving any residue. It effectively removes brake fluid, grease, brake dust, and other contaminants from brake linings, pads, cylinders, springs and drums. Professional strength and powerful spray pattern improves performance of the product. For use on all ABS, disc and drum brakes. Quiets noise associated with excessive brake dust. This product is VOC compliant in all 50 states.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
Brake Cleaner	10906	12x1	14 oz net	397 g	12.5 lbs	5.7 kg	90 Cases
45% VOC	10157	12x1	14 oz net	397 g	12.5 lbs	5.7 kg	90 Cases
90% VOC	10158	12x1	14 oz net	397 g	12.5 lbs	5.7 kg	90 Cases

WARNING: This product can expose you to chemicals including toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

5TH WHEEL & SLIDER LUBE

Lucas 5th Wheel & Slider Lube is a clean easy-to-use, inexpensive solution to the problem of dry 5th wheels and sliders. This long lasting product can easily be applied to slider rails on both tractors and trailers. Since it is virtually waterproof it doesn't wash off trailer sliders on wet roads.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10030	12x1	1 Pint	473 mL	13 lbs	5.9 kg	140 Cases	10031	N/A

HUB OIL

Hub Oil is over-worked and often neglected. It's also hard to change and prone to leak. Lucas Hub Oil is a heavy duty blend of special oils and additives designed to compensate for these problems. It totally stops most hub seal leaks and allows hubs to operate on a marginal amount of oil in case of poor maintenance or a totally blown seal. Available in larger containers for fleet maintenance.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10088	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases	10089	10093

HEAVY DUTY GEAR OILS

COOLS & QUIETS

Lucas Heavy Duty Gear Oils are blended with an extra additive package, over and above the normal gear oil additives. With these products, you can expect longer oil life, lower oil temperatures, longer component life, fewer seal leaks and LESS NOISE. This is what gear oil was meant to be.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
SAE 80W-90	10043	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases	10066	10069
	10046	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases		
SAE 85W-140	10042	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases	10061	10064
	10045	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases		

PURE SYNTHETIC GEAR OILS

COOLS & QUIETS

Lucas Pure Synthetic Gear Oils are super-slick, long lasting lubricants designed especially for heavy duty or high performance applications where conventional lubricants just aren't enough. They contain a special premium additive package that increases lubricity and insures less gear noise and longer bearing life. Designed to stand up to high temperatures without losing its lubricity. Excellent for use in limited slip differentials.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
Synthetic SAE 75W-90	10047	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases	10072	10074
	10048	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases		
Synthetic SAE 75W-140	10121	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases	10123	10139
	10122	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases		

INDUSTRIAL GEAR OILS

Lucas Industrial Gear Oils are blended with the highest quality base oils and additives to provide extreme pressure protection, resistance to foam and excellent rust, corrosion and oxidation protection. Non-corrosive to brass, bronze, steel and other copper alloys. These oils can be used in chain drives, sprockets, plain and anti-friction bearings, slide guides and flexible couplings. They can be used in manual transmissions, gear cases and worm gears on mobile contractor type equipment. They provide excellent shock loading properties and are designed to withstand heavy loads. Meets AGMA (American Gear Manufacturers Association) gear specifications. Recommended for use in bevel, spur, herringbone, planetary, worm and industrial hypoid gears.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								55 Gal Drum	330 Gal Tote
ISO 150	11164	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10673	11119
ISO 220	10589	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10590	10508
ISO 320	10591	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10592	11120
ISO 460	10838	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10806	11121
ISO 680	11158	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10496	11122

"SURE-SHIFT" SEMI-SYNTHETIC AUTOMATIC TRANSMISSION FLUID

This is no normal ATF formulation. Lucas "Sure-Shift" Semi-Synthetic Automatic Transmission Fluid has been developed to give the smooth precise shifts needed by Drag Racers. It extends a degree of protection not found in any other ATF. This product will stop wear and tear like nothing you've ever tried, and it's very long lasting. It's compatible with most transmissions and transmission fluids and it's excellent for Allison Transmissions. Not recommended for use in CVT and Ford Type F transmissions.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10052	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10166	10055

SEMI-SYNTHETIC MULTI-VEHICLE AUTOMATIC TRANSMISSION FLUID

Lucas Multi-Vehicle Automatic Transmission Fluid is formulated with the highest quality synthetic and conventional base oils along with a unique Lucas additive chemistry. It has been designed to promote smoother shifting and provide the highest performance in both foreign and domestic transmissions. It is compatible with all types of transmission fluids with the exception of CVT, Ford Type F, MB 236.12, Dexron® VI, MERCON® LV, MERCON® SP and Allison TES-295. It is truly a versatile fluid.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10418	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10422	10424

FULL SYNTHETIC MULTI-VEHICLE AUTOMATIC TRANSMISSION FLUID

Lucas Full Synthetic Multi-Vehicle Automatic Transmission Fluid is blended with a balanced additive package and the highest quality synthetic base oils to provide today's transmissions with excellent oxidation stability, foam resistance, rust and corrosion inhibition properties, wear protection and heat resistance. This multi-vehicle ATF provides smooth shifting and eliminates chatter. Lucas ATF is recommended for use in both new and older vehicles including Japanese and European transmissions. It is compatible with synthetic and conventional fluids and has outstanding seal compatibility. Recommended for use in high performance trucks, buses, utility vehicles, haulers and recreational vehicles.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							55 Gal Drum	330 Gal Tote
10658	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10659	N/A

AUTOMATIC TRANSMISSION FLUID CONDITIONER

Lucas Automatic Transmission Fluid Conditioner is designed to provide ATF's with enhanced performance. A unique Lucas additive chemistry prolongs fluid life, reduces wear, conditions seals, reduces noise and shudder and maintains cold temperature properties even under the most adverse conditions. It is designed as a preventative measure in both new and older foreign and domestic transmissions and is compatible with both synthetic and conventional ATF's. Not recommended for use in CVT and Ford Type F transmissions.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10441	12x1	20 oz	591 mL	16 lbs	7.3 kg	108 Cases	N/A	10989

SYNTHETIC MULTI-VEHICLE CVT FLUID

Lucas Synthetic Multi-Vehicle CVT Fluid is a premium, full synthetic transmission fluid specifically designed for use in passenger cars with steel belt-driven or chain continuously variable transmissions. It guards against wear and corrosion. It resists shear thinning better than typical CVT fluids. Provides superior cooling and excellent low-temperature fluidity for smoother operation in cold weather. Protects against sludge and varnish formation. Excellent oxidation resistance and thermal stability. It has a low coefficient of friction between steel and clutch material to eliminate shudder. It has been specifically engineered to have the unique frictional properties required for use in this type transmission.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10111	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10113	10180
10112	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases		

PURE SYNTHETIC 50 WT. TRANSMISSION OIL

Lucas Pure Synthetic 50 WT. Transmission Oil is especially designed for heavy duty truck transmissions but can be used in many other applications. It contains an exclusive additive concentrate derived from synthetic oil that ensures lower operating temperatures and better lubrication, especially to upper bearings and gears. This is a long lasting fluid that is far superior to conventional synthetic 50 WT's.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10146	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases	10147	10149

ANTI-SQUAWK / ANTI-SHUDDER ADDITIVE

Lucas Anti-Squawk/Anti-Shudder Additive was developed to specifically address squawk noise in gear and transmissions of agricultural equipment at initial startup. Sixteen (16) ounces of product eliminates the noise and is suitable for use in temperatures well below freezing. It also has been proven to be effective in reducing shudder in automotive transmissions including Hondas. As a Limited Slip Additive: For rear axles equipped with limited-slip differentials (e.g. Positraction) that chatter, or scrub around hard turns, add 4-8 oz to the differential for smooth, quiet turning.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10599	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases	11098	N/A

RED "N" TACKY GREASE

Lucas Red "N" Tacky is a smooth, tacky, red lithium complex grease fortified with a high degree of extreme pressure additives that give a TRUE Timken load much higher than other greases of this type. It stays in U-joints and resists wash-out, making it the perfect truck grease. It exceeds OEM "Lube For Life" specifications.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							35 lbs Pail	400 lbs Drum
10005-30	30x1	14 oz net	397 g	30 lbs	13.6 kg	60 Cases	10027	10029
10574	12x1	16 oz net	454 g	14 lbs	6.4 kg	100 Cases		
10318	10x1	3 oz net	85 g	6 lbs	2.7 kg	120 Cases		

WARNING: This product can expose you to naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

RED "N" TACKY SPRAY GREASE

Lucas Red "N" Tacky Spray Grease is a brand new offering in its product line. The spray grease is a high-quality grease in a convenient aerosol package with an impressing ability to cling to applied surfaces, resistance to water washout, and broad temperature use range. The application is ideal for putting grease in those hard-to-reach areas. It's excellent for cars, trucks, RVs, industrial or farm equipment and around the house. It can be used wherever a grease is the preferred lubricant.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
11025	12x1	11 oz net	311 g	11 lbs	5 kg	90 Cases

X-TRA HEAVY DUTY GREASE

Lucas X-TRA Heavy Duty Grease is the end result of years of research and a brand new technology. This is the only grease we've found that completely recovers after being extremely overheated. It's virtually wash-out proof (goes off the chart for high speed bearings) and lasts up to four times longer than conventional grease. Fortified with an extreme pressure additive package, it exceeds OEM "Lube For Life" specifications.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							35 lbs Pail	400 lbs Drum
10301-30	30x1	14.5 oz net	411 g	32 lbs	14.5 kg	60 Cases	10305	10335
10330	12x1	16 oz net	454 g	14 lbs	6.4 kg	100 Cases		

WARNING: This product can expose you to naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

RED "N" TACKY / 5TH WHEEL LUBE

Lucas Red "N" Tacky 5th Wheel Lube is a heavy duty, water resistant lubricant containing rust and corrosion inhibitors and is specifically designed for 5th wheel applications. This 2.5 ounce bag is easy to handle creating little or no mess. For best results put one packet on each side of the king pin. Eco-Friendly bag will disintegrate, leaving no waste.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10676	192x1	2.5 oz net	70 g	31 lbs	14.0 kg	24 Cases

HEAVY DUTY MINING & CONSTRUCTION GREASE

Lucas Heavy Duty Mining and Construction Grease is a smooth, dark gray, lithium complex grease fortified with 5% molybdenum disulfide to provide excellent shock loading protection in the most adverse operating conditions. Protects wrist pins and booms from wear. It extends equipment life, reduces down time and improves productivity. It can be used with grease guns as well as in centralized dispensing systems found in industrial plants and heavy duty equipment. Recommended in Caterpillar 994 series loaders and 5130 and 5230 series shovels, off-road trucks, construction equipment, agricultural equipment, logging equipment, mining equipment (heavy duty top loaders), rock crushers, oil field equipment, off shore drilling equipment and marine equipment. Also recommended in 5th wheels, chassis and steering linkages. Meets or exceeds OEM specifications.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							35 lbs Pail	400 lbs Drum
10881-30	30x1	14 oz net	397 g	30 lbs	13.6 kg	60 Cases	10597	10598

WHITE LITHIUM GREASE

Lucas White Lithium Grease is formulated with the highest quality base oils and additives to provide mild anti-wear properties. The product is packaged in 8 ounce squeeze tubes for ease of application. It is recommended for use in plain and anti-friction bearings operating under moderate load conditions. It is also recommended for use in automotive chassis, trucks, tractors and contractor equipment. It's not recommended for use in wheel bearings. This product is truly a versatile grease with applications in industrial, automotive and household, including garage door openers, springs, hinges, etc.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10533	12x1	8 oz net	227 g	7.4 lbs	3.6 kg	192 Cases

MULTI-PURPOSE GREASE COMBO PACKS

Lucas Grease Combo Packs come in two different combinations for your different needs. One pack includes two 3-ounce cartridges of X-TRA Heavy Duty Grease and one 3-ounce cartridge of Red "N" Tacky Grease. The other pack includes one 3-ounce cartridge of X-TRA Heavy Duty Grease, one 3-ounce cartridge of Red "N" Tacky Grease and one 3-ounce cartridge of Marine Grease.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
X-Tra HD/Red 'N' Tacky	10315	10x1	3 oz net	85 g	6 lbs	2.7 kg	120 Cases
X-Tra HD/Red 'N' Tacky/Marine	11048	10x1	3 oz net	85 g	6 lbs	2.7 kg	120 Cases

** Marine, Gun and Racing greases also available under their product category.*

HEAVY DUTY CK-4 MOTOR OILS



Lucas Heavy Duty CK-4 Motor Oils are premium oils blended with high quality API Group II and Group III base oils and a cutting-edge additive package providing the robust performance required by modern diesel engines while assuring good fuel economy. Much improved oxidation resistance means this oil lasts longer and protects engines better than previous heavy duty motor oils. They provide excellent soot control and TBN retention as well as shear stability.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes		
								5 Gal Pail	55 Gal Drum	330 Gal Tote
SAE 15W-40 CK-4	10287	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases	10288	10289	10292
Syn Blend 10W-30 CK-4	10282	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases	10283	10284	10285
Synthetic SAE 5W-40 CK-4	11165	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	—	11166	11167

SAE 15W-40 MAGNUM HIGH TBN CI-4



Lucas SAE 15W-40 Magnum CI-4 oil was designed to last up to twice as long as plain 15W-40 oils. It's a blend of high quality base oils and an additive package that allows extended drain intervals and a much higher degree of protection from metal to metal contact. It holds much more soot in suspension than conventional 15W-40 oils. Expect less oil consumption and higher oil pressure. It guarantees a cool, quiet performance, a higher degree of lubricity, longer engine life and no dry starts. It is also the perfect lubricant for hard working hydrostat transmissions.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes		
							5 Gal Pail	55 Gal Drum	330 Gal Tote
10075	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases	10077	10078	10175
10076	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases			

SYNTHETIC MAGNUM CJ-4



Lucas Oil Synthetic Magnum CJ-4 Long Drain Truck Oils are blended with premium synthetic base oils and "Lucas" additives that help maintain the life of the emission control system as required for regulatory compliance. Expect less oil consumption and reduced engine wear. They resist oxidation and thermal breakdown for total protection in new and older engines. They provide increased lubricity, lower oil temperature, reduce engine noise, increase oil pressure and reduce soot levels. Suitable for use in gasoline and diesel powered engines.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes		
								5 Gal Pail	55 Gal Drum	330 Gal Tote
Synthetic SAE 15W-40 CJ-4	10298	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases	10317	10319	10329
	10299	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases			
Synthetic SAE 5W-40 CJ-4	10436	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases	10437	10439	10440
Synthetic SAE 10W-30 CJ-4/SL	10570	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases	10571	10572	10573

SYNTHETIC BLEND SAE 10W-30 FA-4 MAX FE (FUEL EFFICIENCY) HEAVY DUTY MOTOR OIL

Lucas Synthetic Blend SAE 10W-30 API FA-4 Max FE (Fuel Efficiency) Heavy Duty Motor Oil is specifically designed for newer model year diesel engines which are designed for maximum fuel efficiency, employing engine oils with lower High Temperature High Shear Viscosity than standard CK-4 HD motor oils. It provides protection and oxidation resistance for highly rated diesel engines running in severe service conditions. It also provides enhanced protection against engine wear, piston deposits, particulate filter blocking, oil oxidation, catalyst poisoning, and viscosity increase related to soot. It's not backward compatible with CK-4 or CJ-4 standards.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	*Larger Sizes*		
							5 Gal Pail	55 Gal Drum	330 Gal Tote
10759	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases	10761	10762	10760

HYDRAULIC OIL BOOSTER & STOP LEAK

Lucas Hydraulic Oil Booster & Stop Leak is an inexpensive solution to your hydraulic problems. It's the perfect preventative maintenance product for new equipment and the best solution for worn hydraulics and transmissions in older equipment. A 5-10% addition will condition seals to stop leaks and restore load pressure in old equipment, or prevent leaks and wear in new equipment. It renews worn fluids, removes varnish from wet brakes and clutches; stopping slippage and lowering operating temperatures. It's impregnated with anti-foam agents. This product does not contain harmful solvents. More may be added in badly worn equipment.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10019	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases	10039	10040
10018	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases		

UNIVERSAL HYDRAULIC & TRANSMISSION FLUID

Lucas Universal Hydraulic & Transmission Fluid is blended with the highest quality oils and special additives that assure equipment owners reduced down-time and extended equipment life. It is a multi-purpose, power-shift transmission/hydraulic fluid intended for a wide range of power driven equipment and excellent for long term economy. It meets or exceeds performance requirements for agricultural, construction and other off-highway and industrial equipment, as well as, all OEM specifications for powershift transmissions including gears, pumps, differentials, final drives, bearings, wet brakes, transmissions and PTO clutch applications. Also available in larger containers.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10017	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases	10037	10038

SYNTHETIC UNIVERSAL HYDRAULIC & TRANSMISSION FLUID

Lucas Synthetic Universal Hydraulic Fluid is a blend of the finest synthetic base stocks and a Lucas additive package that meets or exceeds the most stringent manufacturers' specifications, including Caterpillar TO2. Expect longer fluid life and longer component life, as well as, more hydraulic pressure, faster response and smoother operation. It is blended under ultra clean conditions and passed through a finite filtration system that guarantees it to be clean of any foreign matter. It's designed for all temperature extremes and eliminates the need for warm-up time in extreme cold temperatures. It also eliminates slippage, loss of pressure; premature oil breakdown and component wear due to higher than normal operating temperatures.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							55 Gal Drum	330 Gal Tote
10100	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10524	10851

ANTI-WEAR HYDRAULIC OILS

Lucas Anti-Wear Hydraulic Oils are manufactured with the highest quality paraffinic base oils and special Lucas additives to provide maximum hydraulic service performance. They provide excellent wear protection in critical hydraulic pump parts and eliminate rust and corrosion problems as well as minimize foam, and have excellent demulsibility properties. Designed for use in hydraulic systems operating over 1,000 psi and for use in machine tools, presses, die casting, airline lubricators, reciprocating air compressors, circulating systems, hydraulic control systems and plain and anti-friction bearings. Can be used in all pump designs including vane, gear, axial and radial pumps. Lucas hydraulic fluids are filtered before packaging to an ISO Cleanliness rating of 16/14/11 and will outlast standard hydraulic oil by double, up to 12,000 hours of service.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								55 Gal Drum	330 Gal Tote
ISO 22	11169	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	11171	11172
ISO 32	10401	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10403	10414
ISO 46	10404	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10406	10415
ISO 68	10407	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10409	10416
ISO 100	10503	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	11188	11189
ISO 150	11106	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10672	11126
ISO 220	10961	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10962	10963

R&O HYDRAULIC OILS

Lucas R&O Industrial Oils are manufactured with the highest quality paraffinic base oils and special Lucas additives to provide excellent rust, corrosion and oxidation protection. Excellent demulsibility allows product to separate from water quickly. They contain effective foam inhibitors to stop foaming. They're designed for use in air compressors and hydraulic systems operating under 1,000 psi that do not require anti-wear additives. They also have applications in plain and anti-friction bearings, vacuum pumps, electric motors as well as centrifugal, turbine and deep well pumps. They truly function as a general purpose lubricant.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								55 Gal Drum	330 Gal Tote
ISO 32	10447	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10449	11130
ISO 46	10450	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10452	11131
ISO 68	10453	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10455	11132

HEAVY DUTY TRANS & DRIVE TRAIN OILS

Lucas Heavy Duty Transmission & Drive Train Oils are formulated to meet Caterpillar TO-4 specification as well as Allison C-4 and Komatsu Micro-Clutch specifications. Designed for use in Caterpillar power shift transmissions, clutches, brakes, final drives, bevel gears and differentials. Formulated with unique Lucas Oil additive systems to provide the highest performance for extended oil life. They minimize foam, provide excellent copper corrosion and rust protection and have excellent low temperature properties, shear and oxidative stability.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								55 Gal Drum	330 Gal Tote
SAE 10	10585	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10587	10846
SAE 30	10443	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10445	10446
SAE 40	11161	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10588	10586
SAE 50	10671	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10856	10857

NON-CONDUCTIVE ANTI-WEAR HYDRAULIC OILS

Lucas Non-Conductive Anti-Wear Hydraulic Oils are formulated with pure base oils and an additive chemistry that provides excellent oxidative and thermal stability. They provide excellent wear protection and reduce deposits and sludge. They contain an effective foam inhibitor which minimizes foam. Dielectric strength of 38 kV makes them excellent non-conductive fluids. The minimum value required is 35 kV. Dielectric strength is extremely sensitive to humidity and contamination. Once the containers are opened, the dielectric strength cannot be expected to remain at its original value. Containers should be kept tightly sealed and stored in a dry environment. They are recommended for use wherever non-conductive fluids are required.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								55 Gal Drum	330 Gal Tote
ISO 22	10691	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10692	11127
ISO 32	11107	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	11108	11109
ISO 46	10917	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	N/A	11128

SYNTHETIC COMPRESSOR OILS

Lucas Synthetic Compressor Oils are high quality, 100% synthetic lubricants based on PAO/diester technology. They offer extended service life in rotary screw compressors and reduce deposits in single and multi-stage reciprocating air compressors. Lucas Synthetic Compressor Oils provide excellent oxidative and thermal stability. They provide excellent wear protection and reduce deposits and sludge. Lucas unique formula reduces foam and minimizes air entrainment.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								55 Gal Drum	330 Gal Tote
ISO 32	10836	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10505	11124
ISO 46	10497	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10498	10499
ISO 68	10837	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10413	11125
ISO 100	11041	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	11044	10485
ISO 220	11162	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10486	10487

MULTI-VISCOSITY ANTI-WEAR ISO 32 HYDRAULIC OIL

Lucas Multi-Viscosity AW Hydraulic Oil ISO 32 is a premium product blended with highest quality synthetic base stocks and Lucas special additives to provide anti-wear protection and maximum performance. The extremely high viscosity index and low pour point permit this fluid to be used in wide operating temperatures. Recommended for use in mobile construction equipment, vane, gear, and piston type hydraulic pumps. Suitable for use in all industrial hydraulic systems operating up to 3000 psi. Can also be used in plain and anti-friction bearings, airline lubricators and reciprocating air compressors.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							55 Gal Drum	330 Gal Tote
10569	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10577	11129

HIGH PERFORMANCE SYNTHETIC MOTOR OILS



Lucas Synthetic Motor Oils are formulated with the highest quality synthetic base stocks and an exclusive high performance additive system, including lubricity and anti-seize agents. They come in many SAE grades and meet or exceed current API specifications. These oils have excellent cold temperature properties and are compatible with conventional and synthetic engine oils. *Available with GM dexos1® Gen 2 specification.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
* Syn SAE 0W-20	10564	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10566	10567
Syn SAE 5W-20	10082	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10137	10084
Syn SAE 0W-30	10179	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10181	10183
* Syn SAE 5W-30	10049	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10207	10209
Syn SAE 5W-50	10101	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10382	10384
Syn SAE 10W-30	10050	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10117	10119
Syn SAE 0W-40	10211	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10213	10215
Syn SAE 5W-40	10189	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10191	10193
Syn SAE 20W-50	10054	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10060	10108

HIGH PERFORMANCE SEMI-SYNTHETIC SAE 10W-40 MOTOR OIL



Lucas Semi-Synthetic SAE 10W-40 is blended for hard working, high mileage engines in mind. This high detergent formula ensures minimum drag, extended life, and easy cold weather starting. This is one of our best sellers in Europe where it is used in both gasoline and diesel engines and has proven to last thousands of miles longer than conventional formulas.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10176	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10218	10221

HIGH PERFORMANCE PETROLEUM MOTOR OILS



Lucas Petroleum Motor Oils are formulated with the highest quality paraffinic base stocks and an exclusive high performance additive system, including lubricity and anti-seize agents. They come in many SAE grades and meet or exceed current API specifications. These motor oils have excellent cold temperature properties and are compatible with conventional and synthetic engine oils.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
SAE 30	10053	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10280	10220
SAE 5W-20	10516	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10517	10518
SAE 5W-30	10474	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10477	10479
SAE 10W-30	10276	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10338	10217
SAE 10W-40	10275	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10523	10519
SAE 20W-50	10252	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10257	10259

HOT ROD AND CLASSIC OILS



Lucas Hot Rod & Classic Car Motor Oils are manufactured with the highest quality paraffinic base oils and fortified with a unique additive package containing high levels of zinc, molybdenum and phosphorus, which provides a tougher, thicker additive film for maximum protection even under the most severe conditions. They improve the film strength between the cylinder wall and piston rings. They have good cold temperature properties and stand up to high operating temperatures Compatible with methanol and all racing fuels, as well as with synthetic and non-synthetic oils. Recommended for muscle, showroom, classic and trophy cars without catalytic converters. Can be used in racing applications. Not recommended for passenger car use.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
SAE 10W-30	10687	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	N/A	10681
	10679	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		
SAE 10W-40	10688	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	N/A	11027
	10683	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		
SAE 20W-50	10689	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	N/A	11028
	10684	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		

EUROPEAN MOTOR OILS



Lucas High Performance European Synthetic Motor Oils are proven to withstand the toughest conditions on the road or the track. A blend of high quality synthetic oils and a proprietary additive package provides maximum protection against extreme heat and friction, including cold weather dry starts. These oils allow engines to run cooler and stronger and increase the interval between oil changes. Perfect for gasoline, diesel and turbo-charged engines.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
Synthetic SAE 0W-30	10184, 40184	12x1	33.8 oz	1 Litre	25 lbs	11.3 kg	70 Cases	N/A	10869
	10185	3x1	169 oz	5 Litres	31 lbs	14.0 kg	65 Cases		
	40185	4x1	169 oz	5 Litres	41 lbs	18.6 kg	55 Cases		
Synthetic SAE 0W-40	10210, 20210	12x1	33.8 oz	1 Litre	25 lbs	11.3 kg	70 Cases	10213	10215
	10327, 20327	3x1	169 oz	5 Litres	34 lbs	15.4 kg	65 Cases		
Synthetic SAE 5W-20	10395, 40395	12x1	33.8 oz	1 Litre	25 lbs	11.3 kg	70 Cases	N/A	N/A
	10127	3x1	169 oz	5 Litres	31 lbs	14.0 kg	65 Cases		
	40127	4x1	169 oz	5 Litres	41 lbs	18.6 kg	55 Cases		
Synthetic SAE 5W-30	10051, 20051, 40051	12x1	33.8 oz	1 Litre	25 lbs	11.3 kg	70 Cases	N/A	11193
	10206, 21137	3x1	169 oz	5 Litres	31 lbs	14.0 kg	65 Cases		
	40206	4x1	169 oz	5 Litres	41 lbs	18.6 kg	55 Cases		
Synthetic SAE 5W-40	10186, 20186	12x1	33.8 oz	1 Litre	25 lbs	11.3 kg	70 Cases	N/A	11194
	10187, 20187, 40187	3x1	169 oz	5 Litres	31 lbs	14.0 kg	65 Cases		
Synthetic SAE 10W-30	10396, 20396, 40396	12x1	33.8 oz	1 Litre	25 lbs	11.3 kg	70 Cases	N/A	14495, 40119
	10128, 21138	3x1	169 oz	5 Litres	31 lbs	14.0 kg	65 Cases		
	40128	4x1	169 oz	5 Litres	41 lbs	18.6 kg	55 Cases		
Synthetic SAE 10W-40	10229	12x1	33.8 oz	1 Litre	25 lbs	11.3 kg	70 Cases	N/A	N/A
	10230	3x1	169 oz	5 Litres	31 lbs	14.0 kg	65 Cases		
Synthetic SAE 10W-60	10248, 20248, 40248	12x1	33.8 oz	1 Litre	25 lbs	11.3 kg	70 Cases	10249	10251
	10231, 20231	3x1	169 oz	5 Litres	31 lbs	14.0 kg	65 Cases		
	40231	4x1	169 oz	5 Litres	41 lbs	18.6 kg	55 Cases		
Synthetic SAE 20W-50	10397, 40397	12x1	33.8 oz	1 Litre	25 lbs	11.3 kg	70 Cases	N/A	N/A
	10135	3x1	169 oz	5 Litres	31 lbs	14.0 kg	65 Cases		
	40135	4x1	169 oz	5 Litres	41 lbs	18.6 kg	55 Cases		
Semi-Synthetic SAE 5W-30	10270, 40270	12x1	33.8 oz	1 Litre	25 lbs	11.3 kg	70 Cases	N/A	10204, 40204
	10201	3x1	169 oz	5 Litres	31 lbs	14.0 kg	65 Cases		
	40201	4x1	169 oz	5 Litres	41 lbs	18.6 kg	55 Cases		
Semi-Synthetic SAE 10W-40	10172, 40172	12x1	33.8 oz	1 Litre	25 lbs	11.3 kg	70 Cases	N/A	11192
	10300	3x1	169 oz	5 Litres	31 lbs	14.0 kg	65 Cases		
	40300	4x1	169 oz	5 Litres	41 lbs	18.6 kg	55 Cases		
Semi-Synthetic SAE 15W-40	10336, 40336	12x1	33.8 oz	1 Litre	25 lbs	11.3 kg	70 Cases	N/A	N/A
	10337	3x1	169 oz	5 Litres	34 lbs	15.4 kg	65 Cases		

HIGH PERFORMANCE MOTORCYCLE OILS

Lucas Motorcycle Oils are built for endurance. These oils will lower oil temperatures, extend the life of vital components, reduce noise and leaks and increase performance. SAE 20W-50 is also an excellent gear oil and primary oil.

All Lucas High Performance Motorcycle Oils meet or exceed API SM/SL/SJ, JASO MA-2 and ACEA A3 specifications.





Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
Syn SAE 5W-20	10704	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10735	
Syn SAE 5W-30	10706	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10738	10740
Syn SAE 10W-30	10708	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10741	10743
Syn SAE 0W-40	10718	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10756	10758
Syn SAE 10W-40	10793	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10940	10140
Syn SAE 10W-40 JASO MB *w/Moly*	10777	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases		
Syn SAE 10W-50	10716	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10753	10755
Syn SAE 20W-50	10702	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10732	10734
Semi-Syn SAE 10W-40	10710	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10744	10746
SAE 50	10712	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10747	10749
70	10714	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10750	10752
SAE 10W-40	10767	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10792	10769
SAE 20W-50	10700	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10729	10731

SYNTHETIC SAE 50 WT. V-TWIN OIL

Lucas Oil has blended this Pure Synthetic SAE 50 WT. Motorcycle Oil specifically for 4-stroke, air- cooled V-Twin/Opposed-Twin/Slant-Twin engines made after 1984. Lucas Oil has put all of its race bred technology into blending this oil to help your engine run cooler, smoother, longer. Excellent for V-Twin power plants from Harley Davidson, BMW, Ducatti, Motoguzzi and many others. It contains special Lucas additive chemistry to provide the highest performance possible. Designed for engine applications only.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10765	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10941	10770

SYNTHETIC SAE 75W-140 V-TWIN GEAR OIL

Lucas Synthetic SAE 75W-140 V-Twin Gear Oil is blended with the highest quality synthetic base oils and a Lucas synthetic additive package that makes it superior to any other motorcycle gear oil. Expect a cool, quiet performance with minimum wear and minimum drag. Stands up to high horse power and high temperature. Designed especially for V-Twins but excellent for use in any heavy duty or high performance transmission. Safe for all metals including bronze and brass.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10791	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10796	N/A

PRIMARY CHAINCASE OIL



Lucas Primary Chaincase Oil is a blend of easy flowing base oils and a Lucas additive package designed to carry away more heat from the clutch and friction plates. This assures a longer, more trouble-free clutch life. Expect a smooth clutch action, less slippage, longer chain and sprocket life and much longer oil life. 100% petroleum designed for heavy duty and high performance situations. It can also be used as a Sportster transmission fluid

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10790	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10795	N/A

SEMI-SYNTHETIC SAE 10W-40 ATV/UTV ENGINE OIL



Lucas Semi-Synthetic SAE 10W-40 ATV/UTV Engine Oil is a long lasting oil that stands up to the high temperatures of slow moving, hard working, air-cooled engines. It exceeds manufacturer specifications and meets JASO specifications.

Air-cooled / Water-cooled

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10720	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10722	10724

SxS 4-STROKE ENGINE OILS



Lucas Oil's Synthetic and Synthetic Blend 4-Stroke SxS Engine Oils are a high-performance, all-temperature and all-weather-ready engine oils that are recommended by Lucas Oil for use in side-by-side (SxS), ATVs, UTVs and virtually all off-road recreational vehicles. They are blended with high-quality synthetic base stocks, premium additives and shear-stable viscosity modifiers to provide unmatched performance. Formulated and proven to provide premium lubrication, resist oxidation, exhibit improved cold-weather fluidity and stay-in-grade viscosity, no matter how much the oil is sheared. Premium dispersants and detergents keep engines clean and free of deposits. They are suitable for use in all popular SxS makes and models.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
Synthetic SAE 0W-40	11200	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	11202	11203
	11201	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases		
Synthetic SAE 5W-50	11208	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	11210	11211
	11209	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases		
Synthetic SAE 10W-30	11204	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	11206	11207
	11205	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases		
Synthetic SAE 10W-50	11212	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	11214	11215
	11213	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases		
Synthetic Blend SAE 10W-40	11196	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	11198	11199
	11197	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases		

SxS COMMAND DRIVE FRONT DIFFERENTIAL FLUID

Lucas SxS Command Drive Fluid is blended from premium synthetic base oils only (API Groups III & V), combined with shear stable synthetic polymers, a high-quality additive package that includes anti-wear, anti-oxidants, friction modifiers and corrosion inhibitors to produce a truly superior fluid for the front differential of Polaris vehicles, including ACE, Sportsman, Ranger and RZR* and may be used safely as a substitute for Polaris Demand Drive Fluid. It contains a friction modifier for smooth and rapid engagement of the front differential. This fluid will not permanently shear thin, ensuring that viscosity remains constant over the life of the fluid. It provides superior anti-wear protection and reduces the effects of shock loading. It will hold-up under heat and stress.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
11220	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	11222	11223
11221	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases		

SxS MULTI-PURPOSE GEARCASE AND DIFFERENTIAL FLUID

Lucas SxS Multi-Purpose Gearcase and Differential Fluid is blended from premium synthetic base oils only (API Groups III, IV & V), combined with shear stable synthetic polymers, a high-quality additive package that include anti-wear, anti-oxidants and corrosion inhibitors to produce a truly superior multi-purpose SxS lubricant, suitable for the transmission/gearcase, front and rear differentials of most SxS, UTV and ATV available today. This fluid contains a friction modifier for smooth engagement of the front differential and low wear. It will not permanently shear thin, ensuring that viscosity remains constant over the life of the fluid. It provides superior chain and gear wear protection. It reduces the effects of shock loading and will hold-up under heat and stress. Our CleanGear formula fights lacquer, deposits and corrosion. Suitable for applications requiring gear and wet brake fluid.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
11224	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	11226	11227
11225	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases		

SxS TRANSMISSION FLUID

Lucas SxS Transmission Fluid is blended from premium synthetic base oils only (API Groups III & V), combined with shear stable synthetic polymers, a high-quality additive package that includes anti-wear, anti-oxidants and corrosion inhibitors to produce a truly superior SxS transmission fluid. It was designed specifically to meet the requirements of Polaris vehicles' Transmissions/Gearcase and may be used safely as a substitute for AGL. This fluid will not permanently shear thin, ensuring that viscosity remains constant over the life of the fluid. It provides superior chain and gear wear protection. It reduces the effects of shock loading and will hold-up under heat and stress.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
11216	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	11218	11219
11217	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases		

SYNTHETIC FORK OILS

Lucas High Performance Synthetic Fork Oils come in four different grades; Light (5wt), Medium (10 wt), Heavy (15 & 20 wts) depending on the application. These products are formulated with the highest quality synthetic base oils and unique Lucas additive chemistry to provide more responsive handling, less static friction, wear protection and prevent seal hardening. They are compatible with both synthetic and conventional fork oils and can be used in all systems including damping rods, cartridges, bladder, conventional and inverted forks.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
Light 5WT	10771	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases	10780	N/A
Medium 10WT.	10772	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases	10781	N/A
Heavy 15WT.	10773	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases	10782	N/A
Extra Heavy 20WT.	10779	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases	N/A	N/A
7.5 WT.	10789	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	—	10768

MOTORCYCLE OIL STABILIZER

Lucas Motorcycle Oil Stabilizer is a 100% petroleum product developed specifically for motorcycle applications. Its 12 ounce size makes it perfect for fitting into saddle bags or other on board storage areas. It virtually eliminates dry starts and wear. It extends oil life and lowers oil temperatures, especially in Harley Davidson's. It's designed to improve oil pressure, reduce smoking, eliminate oil leaks and blow-by in older engines. It also quiets engines and can be used in gear boxes and primaries.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10727	12x1	12 oz	355 mL	10 lbs	4.5 kg	160 Cases

CONTACT CLEANER AEROSOL

Lucas Contact Cleaner aerosol is a unique blend of solvents, cleaning agents and propellants designed to remove oil, dirt and moisture from contact points in small electrical equipment, controls, ignition systems, motors, relays and thermostats. This non-conductive, non-chlorinated, CFC free, VOC compliant formula dries quickly and leaves no residue.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10799	12x1	14 oz net	397 g	12.5 lbs	5.7 kg	90 Cases

WARNING: This product can expose you to benzene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SYNTHETIC 80W-85W TRANSMISSION OIL

Lucas Synthetic 80W-85W Transmission Oil is blended with an extra additive package, over and above the normal gear oil additives. With this product, you can expect longer oil life, lower oil temperatures, longer component life, fewer seal leaks and LESS NOISE. This is what transmission oil was meant to be.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10778	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases

HIGH PERFORMANCE FOAM FILTER OIL

Lucas Foam Filter Oil is a unique low solvent, low viscosity formula designed to penetrate the filter media and trap dust, dirt and sand while improving air flow. Because it has a slight tackiness it stays in place throughout the service life. Its waterproof formula helps block out moisture and water. Will not clog foam filters even in colder temperature applications. Its blue color ensures coverage across the entire filter area.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10798	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases

SEMI-SYNTHETIC 2-CYCLE OIL

Lucas Semi-Synthetic 2-Cycle Oil's clean burning formulation is what the world has needed for years. It is smokeless because the "would be" emissions are burned, thereby increasing performance and fuel economy. Expect less filter clogging and longer engine life.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10058	24x1	2.6 oz	76 mL	6 lbs	2.3 kg	200 Cases
10059	24x1	6.4 oz	189.3 mL	13 lbs	5.9 kg	128 Cases
10120	12x1	1 Pint	473 mL	12 lbs	5.5 kg	152 Cases
10110	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
10115	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases

Larger Sizes	5 Gal Pail	55 Gal Drum
	10056	10125

SEMI-SYNTHETIC TC-W3® 2-CYCLE LAND & SEA OIL

Lucas Semi-Synthetic TC-W3® 2-Cycle Land & Sea Oil was specifically formulated to address the performance requirements of water-cooled outboards and personal watercraft. It is fortified with a unique Lucas additive chemistry and an ashless detergent inhibitor package to minimize spark plug fouling, pre-ignition, and ring sticking. It also has applications in motorcycles requiring API TC oils, chain saws, snowmobiles, golf carts and lawn mowers. Mix ratio is 50:1 and is recommended for use in pre-mix or direct injection systems. NMMA® Certified. Not recommended for use in air-cooled 2-cycle applications requiring JASO FC, FD oils.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10467	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10469	10470
10557	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases		

SYNTHETIC 2-CYCLE SNOWMOBILE OIL

Lucas Synthetic 2-Cycle Snowmobile Oil has been formulated with a special blend of synthetic oils and a low ash additive package to lower exhaust emissions. It also contains a special package of detergents and lubricants exclusive to this formula alone. Especially designed for snowmobile applications but can be used in all 2-cycle applications where low ash systems are required. Contains supplemental additives to provide high performance in equipment with power valves as well as excellent cold temperature properties.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10835	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	N/A	10904
10847	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases		

MARINE ENGINE OILS

Lucas Marine Engine Oils are produced with the highest quality base oils and an exclusive Lucas high performance additive package that assures maximum protection under the most extreme operating conditions. They are compatible with both synthetic and non-synthetic oils and can be used with methanol and other racing fuels. These oils are long lasting and designed to cling to metal parts during long-term storage to protect from harmful dry starts.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
SAE 20W-50	10653	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10665	10666
	10810	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		
Semi-Syn SAE 20W-50	10654	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10667	10668
	10811	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		

OUTBOARD AND INBOARD MARINE ENGINE OILS

CATALYST COMPATIBLE

Lucas Outboard and Inboard Marine Engine Oils are formulated especially for the harsh conditions of high-speed watercraft. These oils are catalyst compatible but work well in any 4-stroke application, inboard, outboard or personal watercraft. They are long lasting and fortified with a special blend of synthetic additives that coat all moving parts to guard against rust and moisture during long periods of storage. Meets industry standard API SM (automotive) as well as JASO MA standards for air-cooled motorcycles and all-terrain vehicles. NMMA® certified to meet or exceed FC-W (CAT) performance.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
Synthetic SAE 10W-30	10661	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	N/A	10817
	10812	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		
Synthetic SAE 10W-40	10662	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	N/A	10526
	10813	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		
SAE 25W-40	10677	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10693	10694
	10814	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		

HEAVY DUTY MARINE DIESEL ENGINE OILS SAE 15W-40

Lucas Marine Diesel Engine Oils resist oxidation and thermal breakdown for total protection in new and older marine engines. They provide increased lubricity and lower oil temperature. They reduce engine noise, increase oil pressure and reduce soot levels. Suitable for use in gasoline and diesel powered engines. Meets/Exceeds API CK-4, CT-4, CI-4.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
Marine SAE 15W-40	10991	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases
Marine Synthetic SAE 15W-40	10992	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases

MARINE 2-CYCLE OIL

Lucas Marine 2-Cycle Oil is specifically formulated to address the performance requirements of water-cooled 2-cycle outboards and personal watercraft. It is fortified with a unique Lucas additive chemistry and an ashless detergent inhibitor package to minimize spark plug fouling, pre-ignition and ring sticking. Mix ratio is 50:1 and is recommended for use in pre-mix or direct injection systems. Synthetic Blend 2-Cycle Oil is NMMA® TC-W3® certified (RL-13125P).



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
Syn Blend 2-Cycle Oil	10860	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Pails	N/A	10863
	10861	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Pails		
Full Synthetic 2-Cycle Oil	11149	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Pails	N/A	N/A

SYNTHETIC MARINE ATF TYPE FA

Lucas Marine ATF Type FA is a blend of high quality synthetic base oils and a specific Lucas additive package. It is a long lasting product designed for use in high performance boat transmissions calling for Ford ESW-M2C33-F.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10651	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	11099	10887

SYNTHETIC M8 MARINE GEAR OILS

Lucas M8 Marine Gear Oils are non-foaming, super slick, long-lasting lubricants designed for marine applications. Excellent for use in stern drives, v-drives, gear boxes, trailer wheel bearings and superchargers, and meet or exceed API GL-5 performance requirements.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
Synthetic SAE 75W-90	10652	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10664	10818
SAE 80W-90	11153	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	N/A	11154

FISHING REEL OIL

Lucas Fishing Reel Oil is a special blend of oil and additives specifically designed to lubricate all moving parts in fresh water and salt water fishing reels. This product provides protection against rust and corrosion even under the most adverse conditions. The new leak proof one-drop applicator allows just the right amount of lubricant to be applied in hard to reach areas. Packaged in an attractive counter top display.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10690	20x1	1 oz	29.6 mL	2 lbs	0.9 kg	315 Cases

MARINE FUEL TREATMENT

Lucas Marine Fuel Treatment is designed specifically to address the issues watercraft owners experience with their engines and fuel systems. Lucas Marine Fuel Treatment fights corrosion, keeps fuel lines, carburetors or fuel injectors clean and free of deposits while lubricating and protecting vital engine parts. Powerful detergents, including polyether amines, improve cleanliness in the fuel system and internal engine parts. It's designed for gasoline and diesel engines, 4-stroke or 2-stroke. Upper cylinder lubricants insure smooth operation and longer engine life.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10150	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases	11114	N/A
10981	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases		
10177	4x1	1 Gallon	3.786 L	33 lbs	15.0 kg	60 Cases		

MARINE GREASE

Lucas Marine Grease is a premium grease of the overbased calcium sulfonate type with inherently superior corrosion resistance, resistance to water washout, mechanical stability and extreme pressure lubrication. Due to these properties, it is ideally suited for marine applications where these important properties are intrinsic to the grease and not the result of fortification with additives. Additionally, it has excellent load-carrying capacity and resistance to oxidation. It contains no heavy metals (e.g. lead, arsenic or antimony) or other environmentally harmful additives such as phosphorus, chlorine or zinc. Lucas Marine Grease meets NLGI Certification GC-LB. Not recommended for centralized dispensing systems requiring NLGI consistency number of 1 or less.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10320-30	30x1	14 oz net	397 g	30 lbs	13.6 kg	60 Cases
11148	12x1	16 oz net	454 g	14 lbs	6.4 kg	100 Cases
10682	10x1	3 oz net	85 g	6 lbs	2.7 kg	120 Cases

WARNING: This product can expose you to naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

SLICK MIST® MARINE SPEED WAX

Lucas Oil Slick Mist® is a polymer paint gloss intensifier, which can be used on other surfaces such as glass, chrome and vinyl decals. Use Slick Mist® as a traditional wax, quick detail spray or spray it on your boat between rinsing and drying for the easiest polish job ever. Just spray it on a wet or dry surface and wipe it off. Slick Mist® out performs the competition and will leave your finish slicker and shinier than any product on the market, with long lasting protection. Great at removing hard water deposits and is ideal in saltwater and freshwater applications.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10980	12x1	24 oz	710 mL	22 lbs	10.0 kg	90 Cases

ATTENTION: Do not use any Slick Mist® products on floors, vehicle controls (pedals, grips, steering wheels), motorcycle seats or tire treads, bicycle seats or tire treads, brake drums and any other surfaces where slipperiness may be hazardous. SHAKE WELL BEFORE USING.

HUNTING GUN OIL *The Original*

Lucas Gun Oil is a special blend of oil and petroleum extracted additives. It's super slick, yet clings to metal parts for easier operations and zero wear. It resists "burn off" many times longer than conventional oils and will not dry off during long periods of storage. Odorless all-purpose firearm lubrication, ideal for hunting firearms, bows and general household use. Packaged in an attractive counter top display.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10006	18x1	2 oz	59 mL	3.6 lbs	1.6 kg	252 Cases	10010	10560

EXTREME DUTY GUN OIL

Lucas Extreme Duty Gun Oil is designed for firearms that experience high volume, full auto and suppressed fire. It provides unmatched, burnoff-resistant protection unlike any other multi-purpose gun oil. Polymeric film protects metal parts from rust, wear and moisture during extreme conditions. It neutralizes acids caused by contact from human hands and resists drying during long periods of storage. Provides maximum heat resistance. For use on bolt carrier groups and all other moving parts.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10875	20x1	1 oz	29.6 mL	2 lbs	0.9 kg	315 Cases	10901	10890
10877	12x1	4 oz	118 mL	3 lbs	1.4 kg	360 Cases		
10870	12x1	8 oz	237 mL	7 lbs	3.2 kg	272 Cases		
10876	4x1	1 Gallon	3.786 L	32 lbs	14.5 kg	65 Cases		

EXTREME DUTY CLP

Lucas Extreme Duty CLP Cleans, lubricates and protects firearms in one simple step, in a liquid or aerosol formula. Cleans: Dissolves powder, residue and contaminants and effectively cuts rust on neglected firearms. Lubricates: Contains effective anti-wear additives to reduce friction and wear, which extends the life of the firearm and its runtime. Protects: Fast drying formula is designed to protect against rust and corrosion during long storage periods, minimizes fingerprints and effectively repels water.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10915	12x1	4 oz	118 mL	3 lbs	1.4 kg	360 Cases	11155	10908
10916	12x1	11 oz net	311 g	11 lbs	5.0 kg	108 Cases		

EXTREME DUTY GUN GREASE

Lucas Extreme Duty Gun Grease is a premium, heavy duty grease. Formulated with a unique additive system designed to provide maximum lubrication under the most severe operating conditions. Developed for full-auto firearms and anywhere else a thicker lube is desired. This is a true firearms grease, developed to lubricate and protect under the harshest heat, friction and pressures of sustained firing while reducing friction and wear. Its unique formulation is designed to prevent rust and corrosion from rain and moisture in fresh and saltwater environments. Recommended for all firearms types.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10889	6x1	1 oz	28 g	N/A	N/A	279 Cases

GUN METAL POLISH & TUMBLER MEDIA ADDITIVE



Lucas Gun Metal Polish & Tumbler Media Additive is easy to use, long lasting, safe on most metals, and contains no acid or ammonia. Cleans and polishes factory firearm finishes and bores. Not designed for use on cold bluing. Keep away from heat and flames. Always shake well before and during use. Great for all types of firearms. An excellent additive for media. Reduces tumbling time and improves results.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10878	12x1	4 oz	118 mL	3 lbs	1.4 kg	378 Cases
10880	12x1	1 Pint	473 mL	15.5 lbs	7.0 kg	125 Cases

EXTREME DUTY BORE SOLVENT & ULTRASONIC GUN CLEANER



Lucas Extreme Duty Bore Solvent and Ultrasonic Gun Cleaner is a premium blend of cleaning solvents and corrosion inhibitors. Formulated to remove carbon, powder residue, copper and lead fouling, by hand or in an ultrasonic cleaner. It is pleasantly scented, it is not drying and is mild toward the multiple materials common on modern firearms. It will not attack polymeric or factory finishes. This product is a solvent based formula therefore there is no need to dilute or mix with anything.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10907	12x1	4 oz	118 mL	3.8 lbs	1.7 kg	264 Cases	10114	N/A
10918	12x1	1 Pint	473 mL	13 lbs	5.9 kg	132 Cases		
10909	6x1	½ Gallon	1.89 L	24 lbs	11 kg	100 Cases		

EXTREME DUTY GUN CLEANER



Lucas Oil Extreme Duty Gun Cleaner's high pressure spray contains a unique blend of solvents, cleaning and drying agents designed to blast away powder residue, grease, oil and other debris from firearm actions, slides, barrels and parts, leaving zero residue. This product is safe on your firearm's metal finishes and will not harm polymers subjected to incidental contact. Its unique formula effectively displaces water, which is great if you are caught outside in a rain or snow storm.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10905	12x1	11 oz	311 g	11 lbs	5 kg	108 Cases

WARNING: This product can expose you to chemicals including toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

APPLICATOR BOTTLE



Holding up to 1 ounce, this American made, leak free, needle applicator bottle allows precise application of lubricants or solvents.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10879	50x1	1 oz (Empty)	59 mL (Empty)	1.4 lbs	0.6 kg	154 Cases

SYNTHETIC RACING ENGINE OILS

Lucas Synthetic Racing Engine Oils are the class of the field with viscosities ranging from 5W-20 to 20W-50 with a maximum temperature/viscosity range demanded by many late model engines like the supercharged Ford Modular, Chrysler and GM LS engines. Whatever your competition lubrication demands are, Lucas has oil specifically designed to meet your requirements.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
Synthetic SAE 5W-20	10883	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10944	10948
	10884	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		
Synthetic SAE 5W-30	10885	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10945	10949
	10886	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		
Synthetic SAE 5W-50	10101	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10382	N/A
Synthetic SAE 10W-30	10610	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10613	10614
	10611	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		
Synthetic SAE 10W-40	10942	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10912	10950
	10911	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		
Synthetic SAE 20W-50	10615	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10618	10619
	10616	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		

SYNTHETIC SAE 5W-20 JR. DRAGSTER RACING ENGINE OIL

Lucas Synthetic 5W-20 Jr. Dragster Oil was developed for high RPM naturally aspirated gasoline and alcohol engines in Jr. Dragsters, Go Karts, and Quarter Midgets. It is also excellent for use in Outlaw 330 alcohol engines. Contains a high level of ZINC and phosphorus to protect cylinder walls, cams and lifters in splash only oil systems.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10380	12x1	15 oz	444 mL	13 lbs	5.9 kg	132 Cases
10471	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases

SEMI-SYNTHETIC RACING ENGINE OILS

Lucas Semi-Synthetic Racing Engine Oils blend the best of both worlds to create an excellent combination of protection and power with an eye toward the budget. This blend guarantees lower oil temperatures through a high-tech blend of new ZINC technology that should be required use on all high performance flat tappet cam engines. Semi-synthetic is also compatible with all fuels, including E85 and methanol and with its higher lubricity offers outstanding benefits like quicker acceleration rates. In addition to increased thermal stability, semi-synthetics also offer reduced cavitation which improves oil pump performance.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
Semi-Syn SAE 10W-40	10943	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10914	10951
	10913	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		
Semi-Syn SAE 20W-50	10306	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10604	10310
	10378	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		

CONVENTIONAL RACING ENGINE OILS



The "PLUS" is for the extra additives above and beyond those found in ordinary racing oils. These true high performance lubricants were developed especially for top fuel and top alcohol engines. These products contain special Lucas additives that resist fuel dilution like no other oil possibly can. Just like our other high performance oils, these racing oils contain Moly and friction modifiers. More importantly, the PLUS formula resists squeezing out of the bearings under heavy load.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
SAE 10W-30	11016	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	11018	10625
	11017	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		
SAE 20W-50	10620	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10623	10624
	10621	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		
SAE 50 PLUS	10347	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases	10095	10107
60 PLUS	10910	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases	10697	10696
70 PLUS	10348	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases	10266	10268

RACING FORMULA SYNTHETIC 2-CYCLE OIL

Lucas Racing Formula Synthetic 2-Cycle Oil was developed specifically for racing and other demanding applications. It leaves a tenacious lubricant film on all wetted parts. A blend of lubricant base stocks, both a synthetic hydrocarbon type and esters are used. Lucas blends these lubricant base stocks with a low-ash additive package that insures superior detergency and anti-wear, both at high and low operating temperatures. Formulated to meet API TC and JASO FD performance. This is a low-smoke product and is suitable for air or water-cooled engines. This premium product contains only a small amount of high flash point solvent, yet blends effortlessly with gasoline and resists spark plug fouling. This product is not recommended for snowmobiles or watercraft requiring NMMA TC-W3 ashless 2-Stroke Oil. It is also not recommended for methanol or E85 fueled engines. Please see Lucas other offerings for these applications.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10828	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases
10829	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases

RACING SUSPENSION FLUID



Lucas Suspension Fluids provide exceptional viscosity stability, anti-friction and anti-foam properties for use in all high performance suspension systems. Applications include off road racing shocks, motocross, supercross, conventional and upside down forks, circle track racing and more. Lucas specially formulated friction modifiers increase lubricity for minimum friction and for more responsive handling. Guaranteed to improve a narrow, consistent, rebounding range and easy suspension tuning.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
S1 2.5 WT	10488	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases	10550	10551
	10548	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		
S2 5 WT	10489	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases	10554	10555
	10552	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		

L9, L10 & L11 RACING GEAR OILS

Lucas Gear Oils provide excellent thermal stability and longevity throughout the entire drive train system. Recommended for use in both transmissions and differentials. These formulas were specifically developed with special anti-wear agents and lubricity agents to control wear and drag as well as special additives to control heat. This feature is not found in ordinary gear oils. They're excellent for race cars and any heavy-duty application where plain gear oils just aren't good enough. The L-Series gear oils feature lightweight viscosities specially blended for road racing and closed-course use in three different blends depending upon your requirements. They use the latest additive package technology that offers improved heat transfer characteristics, improving gear and bearing life even in the most severe applications.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes
								55 Gal Drum
L9 – 7.5 WT	10456	12x1	1 Quart	946 mL	25 lbs	11.3 kg	70 Cases	10459
	10458	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	
L10 – 5 WT	10462	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10463
L11 – 2.5 WT	10540	1x1	5 Gallon	18.9 L	40 lbs	18.1 kg	48 Pails	10541

SYNTHETIC SAE 140 & 250 RACING GEAR OILS

Lucas Synthetic SAE 140 and 250 Gear Oils are designed for high horsepower, high torque conditions. Made from the highest quality heavy synthetic base oils, Lucas Racing Gear Oils contain a proprietary package of additives and extreme pressure lubricants specially engineered for shear stability and the demands of severe racing conditions. This synthetic formulation provides a barrier cushion between metal surfaces. It absorbs impact by creating a barrier coating on gear surfaces for the critical line of protection against wear, pitting and scoring. These oils are long lasting and perfect for any heavy duty application.



Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
Synthetic SAE 140	10431	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases	10433	N/A
Synthetic SAE 250	10646	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases	10648	10649

ASSEMBLY LUBE

Lucas Assembly Lube is designed for mechanics and technicians to pre lube bearings, cams, lifters and valve train. It's perfect for engine building. The semi-synthetic formula contains zinc, Moly and other high pressure additives which offer maximum protection during engine break-in. Super slick and easy to use, it will eliminate dry starts and prevent seizing galling and scuffing.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10152	12x1	4 oz	118 mL	3 lbs	1.4 kg	360 Cases	10390	10559
10153	12x1	8 oz	237 mL	7 lbs	3.2 kg	272 Cases		

RACING ASSEMBLY GREASE

Lucas Racing Assembly Grease is a heavy duty and corrosion resistant grease made of Calcium Sulfonate Complex thickener. It is suitable for all metals. It provides anti-wear, extreme pressure properties and dissolves completely in oil. Provides protection during initial start-up and is designed for use on cams and lifters. It is also recommended for use on distributor caps, rocker shafts, rocker tips, push rod tips, wrist pins and valve guides. It's also an excellent assembly lubricant for automatic and manual transmissions, making it an indispensable addition to your toolbox. Tested and approved by top NASCAR teams.





Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Cases Per Pallet
10921	600x1	.59 oz net	16.7 g	N/A	N/A	60 Cases
10891	12x1	16 oz net	454 g	14 lbs	6.4 kg	100 Cases

EXTREME PRESSURE SYNTHETIC GREASE

Lucas Extreme Pressure Synthetic Grease contains special bonding agents that create a powerful lubricant film between moving metal surfaces. This film can withstand extreme heat and mechanical pressure to keep metal parts separated, protecting them from scoring and seizing. It has excellent adhesion qualities that will maintain the lubricant on the component through those first few crucial engine cycles until the engine oil can assume control.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10563	144x1	1 oz net	28 g	N/A	N/A	85 Cases

LOW VISCOSITY SYNTHETIC FL-0

Lucas FL-0 is a premium, super-efficient, low viscosity racing engine oil. Ideal for Pro Stock Racing or any application using low-viscosity engine oils. It is formulated with an exclusive blend of PAO, organic esters, dispersants, borated organic compounds, friction modifiers and ZDDP. It is specially formulated to reduce drag yet protect vital engine components. It has a very high viscosity index to provide even performance from startup to the finish line. Lucas FL-0 was born-and-bred from our in-depth experience with racing and leverages advances we have made in sponsored teams using specialty formulations over many years. For use in Drag Racing Qualifying, Stock, Super Stock, Comp, Pro Stock.



Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
10892	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10849	N/A

SEMI-SYNTHETIC TYPE F AUTOMATIC TRANSMISSION FLUID



Lucas Semi-Synthetic Type F ATF is blended from premium paraffinic and synthetic base oils (Groups II+ and III), with shear stable synthetic polymers and viscosity modifiers, combined with a high-quality additive package that includes anti-wear, anti-oxidants and corrosion inhibitors. It is not friction modified so the shift character is "sport" or "hard shift," ideal for racing or wherever a fast, positive shift is required. It resists shear thinning and will hold-up under heat and stress, just the properties that racers require from their ATF. For non-racing applications, these benefits are realized as long-life for the fluid and the transmission equipment, since it resists oxidation, reducing lacquer and deposits. For use in Drag Racing, Stock, Super Stock, Super Gas, Super Comp, Comp, classic cars requiring a Type F Automatic Transmission Fluid.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
							5 Gal Pail	55 Gal Drum
11020	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10864	N/A

SPROCKET & CHAIN LUBE



Designed for Go-Karts and other chain drives, Lucas Sprocket & Chain Lube is designed with a specific additive package to prolong the life of sprockets and chains. Fortified with "moly" and other dry film lubricants, you can expect less friction at high RPM's for less drag and longer component life. Water and heat resistant. It provides excellent anti-rust protection and resists slinging.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10525	12x1	4 oz	118 mL	3 lbs	1.4 kg	360 Cases

ENGINE BREAK-IN OILS



Lucas Racing Break-In Oils help seal new rings while providing excellent extreme pressure properties that protect the entire valve train and of course, the camshaft. Especially designed for flat tappet camshafts, but can be used wherever you need the extra wear protection in the form of zinc. Zinc levels typically at 3600 PPM, which is much higher than commercial passenger car oils. Recommended for use in racing applications only. Not recommended for passenger cars requiring API service oil.

Product Name	Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet	Larger Sizes	
								5 Gal Pail	55 Gal Drum
SAE 5W-20	11033	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	11035	11036
	11034	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		
SAE20W-50	10635	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10638	10639
	10636	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		
SAE 30	10630	6x1	1 Quart	946 mL	13 lbs	5.9 kg	168 Cases	10633	10634
	10631	3x1	5 Quart	4.73 L	30 lbs	13.6 kg	65 Cases		

ATTENTION: Do not use any Slick Mist® products on floors, vehicle controls (pedals, grips, steering wheels), motorcycle seats or tire treads, bicycle seats or tire treads, brake drums and any other surfaces where slipperiness may be hazardous. SHAKE WELL BEFORE USING.

SLICK MIST® SPEED WAX



Slick Mist® Speed Wax is a fast and easy wax that is great for shining cars, motorcycles, ATV's, trucks, boats, and airplanes. It helps keep mud, bugs and tar from sticking to your vehicle. It can be easily used in direct sunshine and on wet or dry surfaces. It will not harm leather, rubber, plastic or aluminum surfaces. Great for a quick showroom shine between washes. The 2 ounce bottles are packaged in an attractive counter top display.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10160	12x1	24 oz	710 mL	22 lbs	10.0 kg	90 Cases
10160-6	6x1	24 oz	710 mL	11 lbs	5.0 kg	170 Cases
10161	20x1	2 oz	59 mL	4 lbs	1.8 kg	270 Cases

SLICK MIST® INTERIOR DETAILER



Slick Mist® Interior Detailer is a water based, pH neutral product that restores interiors to look like new. It can be used on rubber, plastic, leather and vinyl. This unique formula is applied easily and does not leave a heavy oil residue. It contains UV additives to prevent cracking and fading caused by direct sunlight and has a pleasant bubble gum smell.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10514	6x1	24 oz	710 mL	11 lbs	5.0 kg	170 Cases

SLICK MIST® TIRE & TRIM SHINE



Slick Mist® Tire & Trim Shine is a water based, pH neutral product that restores tires, bumpers and trim to look like new. It can be used on rubber, plastic, leather and vinyl. This unique formula is applied easily and does not leave a heavy oil residue. It contains UV additives to prevent fading caused by direct sunlight and has a pleasant citrus smell.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10513	6x1	24 oz	710 mL	11 lbs	5.0 kg	170 Cases

SLICK MIST® DETAILING KIT

Everything needed to make your vehicle showroom ready!

Slick Mist® Detailing Kit contains:
1 - 24 oz. Speed Wax, 1 - 24 oz. Interior Detailer, 1 - 24 oz. Tire & Trim Shine, 1 - 16"x16" Microfiber Towel and 1 - No Mess Applicator.

Product Number	Per Case	U.S. Weight	INT'L Weight	Qty. Per Pallet
10558	4x1	25 lbs	11.3 kg	60 Cases



METAL POLISH

Lucas Metal Polish cleans, polishes and protects aluminum and other metals including chrome, magnesium, stainless steel, silver, brass and gold. It gives a deep shine and maximum luster with little effort. This fast acting metal polish is simple to use and is safe on all metals. It contains no acid or ammonia.

Product Number	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
10155	12x1	1 Pint	473 mL	15.5 lbs	7.0 kg	125 Cases
10156	4x1	1 Gallon	3.786 L	39 lbs	17.7 kg	36 Cases



Lucas Motor Oil & Motorcycle Oil Typical Zinc Values

Part #	Description	Zinc PPM
	HOT ROD & CLASSIC OILS	
10687	SAE 10W-30	2,100
10688	SAE 10W-40	2,100
10689	SAE 20W-50	2,100
	MOTOR OILS	
10564	Synthetic SAE 0W-20 API	861
10179	Synthetic SAE 0W-30	1,265
10211	Synthetic SAE 0W-40	1,265
10082	Synthetic SAE 5W-20 API	861
10049	Synthetic SAE 5W-30 API	861
10101	Synthetic SAE 5W-50	1,700
10189	Synthetic SAE 5W-40 API	861
10050	Synthetic SAE 10W-30 API	861
10176	Semi-Synthetic SAE 10W-40	1,265
10054	Synthetic SAE 20W-50	1,265
10516	SAE 5W-20 API	861
10474	SAE 5W-30 API	861
10276	SAE 10W-30 API	861
10275	SAE 10W-40 API	861
10252	SAE 20W-50 API	861
10053	30 Plus	1,265
	EXTREME DUTY MARINE OILS	
10653	SAE 20W-50	3,132
10654	Semi-Synthetic SAE 20W-50	3,115
10661	Synthetic SAE 10W-30 Outboard	820
10662	Synthetic SAE 10W-40 Outboard	820
10677	SAE 25W-40 Inb Stern Drive	820
10807	Marine SAE 15W-40 CJ-4 API	1,281
	HEAVY DUTY DIESEL OILS	
10075	SAE 15W-40 CI-4 Magnum	1,524
10298	Synthetic 15W-40 CJ-4 API	1,281
10296	SAE 15W-40 CJ-4 API	1,281
10436	Synthetic 5W-40 CJ-4 API	1,362
10571	SAE 10W-30 CJ-4 API (5 Gal)	1,281

Part #	Description	Zinc PPM
	ENGINE BREAK-IN OIL ADDITIVE	
10063	TB Zinc Plus	43,000
10063	**Mix Ratio:** 4.5 qt Oil + 16 oz Zinc Plus	5,000
10063	**Mix Ratio:** 4.75 qt Oil + 8 oz Zinc Plus	3,000
10063	**Mix Ratio:** 4.9 qt Oil + 4 oz Zinc Plus	1,900
	BREAK-IN OILS	
10630	SAE 30	3,634
10635	SAE 20W-50	3,634
11033	SAE 5W-20	1,449
	RACING ONLY OILS	
10610	Synthetic SAE 10W-30	3,097
10615	Synthetic SAE 20W-50	3,132
10306	Semi-Synthetic SAE 20W-50	3,115
10620	SAE 20W-50	3,132
10380	Jr Dragster SAE 5W-20 15oz	6,795
10848	4-Stroke Medium Karting Oil	3,873
10347	50 Plus Racing	3,921
10910	60 Plus Racing	3,921
10348	70 Plus Racing	5,458
10942	Synthetic SAE 10W-40	2,245
	MOTORCYCLE OILS	
10700	SAE 20W-50	1,058
10702	Synthetic SAE 20W-50	1,058
10704	Synthetic SAE 5W-20	1,058
10706	Synthetic SAE 5W-30	1,058
10708	Synthetic SAE 10W-30	1,058
10710	Semi-Synthetic SAE 10W-40	1,058
10712	50W	1,058
10714	70W	1,058
10716	Synthetic SAE 10W-50	1,058
10718	Synthetic SAE 0W-40	1,058
10720	Semi-Synthetic SAE 10W-40 ATV	1,058
10765	Synthetic 50W	1,542
10767	SAE 10-40	1,058
10777	Synthetic SAE 10W-40 Moly	1,058

SELL MORE PRODUCTS WITH THESE POWERFUL MARKETING TOOLS!

TDS BOOKLET

PART #10097



CATALOGS & PAMPHLETS

Racing Only Catalog

PART #60012



Marine Line Pamphlet

PART #10698



STARTER KIT

PART #10041

The perfect way to introduce Lucas Oil Products to smaller dealers is this attractive counter display shipped with this popular assortment of products:

- UCL Fuel Treatment 5.25 oz. – 12 each
- Heavy Duty Oil Stabilizer 32 oz. – 3 each
- Power Steering Stop Leak 12 oz. – 4 each
- Transmission Fix 24 oz. – 3 each



DEMONSTRATOR

PART #10500

This interactive gear demonstrator should be placed on the counter where your customers can play with it and ask questions! It promotes the Lucas Oil Heavy Duty Oil Stabilizer, the most versatile and profitable additive in your store.

(10001 - Heavy Duty Oil Stabilizer sold separately.)



EXTREME DUTY GUN OIL COUNTER DISPLAY

PART #10875



FISHING REEL OIL COUNTER DISPLAY

PART #10690



SLICK MIST® SPEED WAX COUNTER DISPLAY

PART #10161



ORIGINAL GUN OIL COUNTER DISPLAY

PART #10006



TOOL BOX BUDDY COUNTER DISPLAY

PART #10070



SAFEGUARD™ COUNTER DISPLAY

PART #10929



MOTORCYCLE OCTANE BOOSTER COUNTER DISPLAY

PART #10725



COMPLETE ENGINE TREATMENT COUNTER DISPLAY

PART #60022



RED 'N' TACKY/ 5TH WHEEL LUBE COUNTER DISPLAY

PART #10676



Contact your sales rep for more details!

DISPLAY RACK

PART #10400

Includes Rack Only.
(Product Sold Separately.)



SPECIALTY ASSORTMENT

Includes 11 Cases (1 Case Each):

- **10001** – *Heavy Duty Oil Stabilizer - 32 oz.*
- **10002** – *Heavy Duty Oil Stabilizer - 128 oz.*
- **10003** – *Upper Cylinder Lubricant Fuel Treatment - 32 oz.*
- **10005** – *Red "N" Tacky Grease - 14 oz.*
- **10008** – *Power Steering Stop Leak - 12 oz.*
- **10009** – *Transmission Fix - 24 oz.*
- **10013** – *Upper Cylinder Lubricant Fuel Treatment - 128 oz.*
- **10020** – *Upper Cylinder Lubricant Fuel Treatment - 5.25 oz.*
- **10026** – *Octane Booster - 15 oz.*
- **10088** – *Hub Oil - 32 oz.*
- **10301** – *X-Tra Heavy Duty Grease - 14.5 oz.*



AGRICULTURE ASSORTMENT

Includes 17 Cases (1 Case Each):

- **10001** – *Heavy Duty Oil Stabilizer - 32 oz.*
- **10002** – *Heavy Duty Oil Stabilizer - 128 oz.*
- **10005** – *Red "N" Tacky Grease - 14 oz.*
- **10009** – *Transmission Fix - 24 oz.*
- **10017** – *Universal Hydraulic & Transmission Fluid - 128 oz.*
- **10018** – *Hydraulic Oil Booster & Stop Leak - 128 oz.*
- **10042** – *SAE 85W-140 Heavy Duty Gear Oil - 32 oz.*
- **10043** – *SAE 80W-90 Heavy Duty Gear Oil - 32 oz.*
- **10047** – *Synthetic SAE 75W-90 Trans & Diff Lube - 32 oz.*
- **10075** – *SAE 15W-40 Magnum CI-4 Truck Oil - 32 oz.*
- **10076** – *SAE 15W-40 Magnum CI-4 Truck Oil - 128 oz.*
- **10278** – *Engine Oil Stop Leak - 32 oz.*
- **10287** – *SAE 15W-40 Magnum CK-4 Diesel Truck Oil - 128 oz.*
- **10301** – *X-Tra Heavy Duty Grease - 14.5 oz.*
- **10393** – *Chain Lube Aerosol - 11 oz.*
- **10881** – *HD Mining & Construction Grease NLGI #2 - 14 oz.*
- **11043** – *Penetrating Oil - 11 oz.*



HEAVY DUTY ASSORTMENT

Includes 15 Cases (1 Case Each):

- **10002** – *Heavy Duty Oil Stabilizer - 128 oz.*
- **10003** – *Upper Cylinder Lubricant Fuel Treatment - 32 oz.*
- **10005** – *Red "N" Tacky Grease - 14 oz.*
- **10013** – *Upper Cylinder Lubricant Fuel Treatment - 128 oz.*
- **10131** – *Pure Synthetic Oil Stabilizer - 128 oz.*
- **10279** – *Engine Oil Stop Leak - 128 oz.*
- **10282** – *SAE 10W-30 Synthetic Blend Ck-4 Diesel Truck Oil - 128 oz.*
- **10287** – *SAE 15W-40 Magnum CK-4 Diesel Truck Oil - 128 oz.*
- **10299** – *Synthetic SAE 15W-40 Magnum CJ-4 Truck Oil - 128 oz.*
- **10301** – *X-Tra Heavy Duty Grease - 14.5 oz.*
- **10865** – *Anti-Gel Diesel Treatment - 32 oz.*
- **10866** – *Anti-Gel Diesel Treatment - 64 oz.*
- **10872** – *Diesel Deep Clean™ - 32 oz.*
- **10873** – *Diesel Deep Clean™ - 64 oz.*
- **10881** – *HD Mining & Construction Grease NLGI #2 - 14 oz.*



HEAVY DUTY CK-4 ASSORTMENT

Includes 15 Cases (1 Case Each):

- **10005** – *Red "N" Tacky Grease - 14 oz.*
- **10160** – *Slick Mist® Speed Wax - 24 oz.*
- **10301** – *X-Tra Heavy Duty Grease - 14.5 oz.*
- **10513** – *Slick Mist® Tire & Trim Shine - 24 oz.*
- **10514** – *Slick Mist® Interior Detailer - 24 oz.*
- **10873** – *Diesel Deep Clean™ - 64 oz.*

(6 Cases Each):

- **10287** – *SAE 15W-40 Magnum CK-4 Diesel Truck Oil - 128 oz.*

(3 Cases Each):

- **10282** – *SAE 10W-30 Synthetic Blend CK-4 Diesel Truck Oil - 128 oz.*



HOT ROD ASSORTMENT

Includes 18 Cases (1 Case Each):

- **10002** – *Heavy Duty Oil Stabilizer - 128 oz.*
- **10026** – *Octane Booster - 15 oz.*
- **10160** – *Slick Mist® Speed Wax - 24 oz.*
- **10418** – *Semi-Synthetic Multi-Vehicle ATF - 32 oz.*
- **10512** – *Deep Clean™ Fuel System Cleaner - 16 oz.*
- **10513** – *Slick Mist® Tire & Trim Shine - 24 oz.*
- **10514** – *Slick Mist® Interior Detailer - 24 oz.*
- **10576** – *Safeguard™ Ethanol Fuel Conditioner - 16 oz.*
- **10640** – *Super Coolant - 16 oz.*
- **10669** – *Deep Clean™ Fuel System Cleaner - 5.25 oz.*
- **10670** – *Safeguard™ Ethanol Fuel Conditioner - 5.25 oz.*
- **10679** – *Hot Rod & Classic SAE 10W-30 Motor Oil - 160 oz.*
- **10683** – *Hot Rod & Classic SAE 10W-40 Motor Oil - 160 oz.*
- **10684** – *Hot Rod & Classic SAE 20W-50 Motor Oil - 160 oz.*
- **10687** – *Hot Rod & Classic SAE 10W-30 Motor Oil - 32 oz.*
- **10688** – *Hot Rod & Classic SAE 10W-40 Motor Oil - 32 oz.*
- **10689** – *Hot Rod & Classic SAE 10W-40 Motor Oil - 32 oz.*
- **10930** – *Octane Booster - 5.25 oz.*



MARINE ASSORTMENT

Includes 12 Cases (1 Case Each):

- **10150** – *Marine Fuel Treatment and Injector Cleaner - 16 oz.*
- **10320** – *Marine Grease - 14 oz.*
- **10467** – *Semi-Synthetic TC-W3® 2-Cycle Land & Sea Oil - 32 oz.*
- **10576** – *Safeguard™ Ethanol Fuel Conditioner - 16 oz.*
- **10661** – *Synthetic SAE 10W-30 Outboard Engine Oil - 32 oz.*
- **10662** – *Synthetic SAE 10W-40 Outboard Engine Oil - 32 oz.*
- **10812** – *Synthetic SAE 10W-30 Outboard Engine Oil - 160 oz.*
- **10813** – *Synthetic SAE 10W-40 Outboard Engine Oil - 160 oz.*
- **10860** – *Synthetic Blend TC-W3® 2-Cycle Marine Oil - 32 oz.*
- **10861** – *Synthetic Blend TC-W3® 2-Cycle Marine Oil - 128 oz.*
- **10980** – *Slick Mist® Marine Speed Wax - 24 oz.*
- **10981** – *Marine Fuel Treatment and Injector Cleaner - 32 oz.*



MOTORCYCLE ASSORTMENT

Includes 14 Cases (1 Case Each):

- **10110** – *Semi-Synthetic 2-Cycle Oil - 32 oz.*
- **10393** – *Chain Lube Aerosol - 11 oz.*
- **10700** – *SAE 20W-50 Motorcycle Oil - 32 oz.*
- **10702** – *Synthetic SAE 20W-50 Motorcycle Oil - 32 oz.*
- **10708** – *Synthetic SAE 10W-30 Motorcycle Oil - 32 oz.*
- **10710** – *Semi-Synthetic SAE 10W-40 Motorcycle Oil - 32 oz.*
- **10716** – *Synthetic SAE 10W-50 Motorcycle Oil - 32 oz.*
- **10720** – *Semi-Synthetic SAE 10W-40 ATV/UTV Oil - 32 oz.*
- **10725** – *Motorcycle Octane Booster - 2 oz.*
- **10765** – *Synthetic SAE 50 wt. V-Twin Motorcycle Oil - 32 oz.*
- **10767** – *SAE 10W-40 Motorcycle Oil - 32 oz.*
- **10790** – *Primary Chaincase Oil - 32 oz.*
- **10791** – *Synthetic SAE 75W-140 V-Twin Gear Oil - 32 oz.*
- **10929** – *Safeguard™ Ethanol Fuel Conditioner - 2 oz.*



RACING ONLY ASSORTMENT

Includes 18 Cases (1 Case Each):

- **10043** – *SAE 80W-90 HD Gear Oil - 32 oz.*
- **10047** – *Synthetic SAE 75W-90 Trans & Diff Lube Gear Oil - 32 oz.*
- **10052** – *Semi-Synthetic Sure-Shift ATF - 32 oz.*
- **10063** – *Engine Break-In Oil Additive TB Zinc-Plus - 16 oz.*
- **10153** – *Assembly Lube - 8 oz.*
- **10157** – *Brake Parts Cleaner - 14 oz.*
- **10306** – *Semi-Synthetic SAE 20W-50 Racing Engine Oil - 32 oz.*
- **10380** – *Synthetic SAE 5W-20 Junior Dragster Racing Oil - 15 oz.*
- **10610** – *Synthetic SAE 10W-30 Racing Engine Oil - 32 oz.*
- **10621** – *SAE 20W-50 Racing Engine Oil - 128 oz.*
- **10630** – *SAE 30 Engine Break-In Oil - 32 oz.*
- **10635** – *SAE 20W-50 Engine Break-In Oil - 32 oz.*
- **10825** – *Synthetic Brake Fluid DOT 3 - 12 oz.*
- **10827** – *Synthetic Brake Fluid DOT 4 - 12 oz.*
- **10891** – *Racing Assembly Grease - 16 oz.*
- **10943** – *Semi-Synthetic SAE 10W-40 Racing Engine Oil - 32 oz.*
- **11016** – *SAE 10W-30 Conventional Racing Engine Oil - 32 oz.*
- **11043** – *Penetrating Oil - 11 oz.*



WINTER ASSORTMENT

Includes 17 Cases (1 Case Each):

- **10008** – *Power Steering Stop Leak - 12 oz.*
- **10009** – *Transmission Fix - 24 oz.*
- **10049** – *Synthetic SAE 5W-30 Motor Oil - 32 oz.*
- **10050** – *Synthetic SAE 10W-30 Motor Oil - 32 oz.*
- **10082** – *Synthetic SAE 5W-20 Motor Oil - 32 oz.*
- **10130** – *Pure Synthetic Oil Stabilizer - 32 oz.*
- **10441** – *Automatic Transmission Fluid with Conditioners - 20 oz.*
- **10442** – *Power Steering Fluid with Conditioners - 16 oz.*
- **10467** – *Semi-Synthetic TC-W3® 2-Cycle Land & Sea Oil - 32 oz.*
- **10512** – *Deep Clean™ Fuel System Cleaner - 16 oz.*
- **10576** – *Safeguard™ Ethanol Fuel Conditioner - 16 oz.*
- **10835** – *Synthetic 2-Cycle Snowmobile Oil - 32 oz.*
- **10847** – *Synthetic 2-Cycle Snowmobile Oil - 128 oz.*
- **10865** – *Anti-Gel Diesel Treatment - 32 oz.*
- **10866** – *Anti-Gel Diesel Treatment - 64 oz.*
- **10872** – *Diesel Deep Clean™ - 16 oz.*
- **10873** – *Diesel Deep Clean™ - 64 oz.*



BAG IN A BOX SYSTEM

Lucas Oil's "Bag in a Box" oil program is specifically designed to be used by dealerships, auto repair shops, and quick lubes for their ability to carry multiple oil grades and specialty items for faster lube servicing and dispensing. The packaging is 100% recyclable with an eco-friendly design that reduces waste by using less plastic and utilizing every drop of oil. Lucas Oil's most common motor oils are available in "Bag in a Box."



Product Name	Product Name	Per Case	U.S. Measure	INT'L Measure	U.S. Weight	INT'L Weight	Qty. Per Pallet
BIB Jug Kit (empty)	17999	1x1	One size	One size	N/A	N/A	N/A
BIB Oil Rack (empty)	18000	1x1	One size	One size	N/A	N/A	N/A
SAE 5W-20 API SN Plus	18001	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
SAE 10W-30 API SN Plus	18002	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 0W-20 Dexos1	18003	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 5W-20 API SN Plus	18004	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 5W-30 Dexos1	18005	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 75W-90 Gear Oil	18006	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Multi-Vehicle ATF	18007	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 0W-30 API SN Plus	18008	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn Blend SAE 10W-30 FA-4 Max FE	18009	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
SAE 5W-30 API SN Plus	18010	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 5W-40 Diesel CK-4	18011	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 5W-40 API SN Plus	18012	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 10W-30 API SN Plus	18013	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
SAE 15W-40 Diesel CK-4	18014	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 5W-50 EP	18015	1 x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 5W-40 European	18016	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn Blend 10W-30 Diesel CK-4	18017	1 x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 15W-40 Diesel CJ-4	18018	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn Blend SAE 5W-30 European	18019	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 5W-30 European	18020	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 0W-30 European	18021	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 0W-40 European	18022	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 10W-60 European	18023	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 10W-30 European	18024	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Hot Rod Oil SAE 10W-30	18025	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Hot Rod Oil SAE 10W-40	18026	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Hot Rod Oil SAE 20W-50	18027	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Break-In Oil SAE 30	18028	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
SAE 50 Motorcycle Oil	18029	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
70 WT Motorcycle Oil	18030	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
SAE 10W-40 Motorcycle Oil	18031	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
SAE 20W-50 Motorcycle Oil	18032	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Semi-Syn 10W-40 ATV UTV	18033	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Semi-Syn 10W-40 Motorcycle Oil	18034	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn 50 WT V-Twin Motorcycle Oil	18035	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 0W-40 Motorcycle Oil	18036	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 5W-30 Motorcycle Oil	18038	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 10W-30 Motorcycle Oil	18039	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 10W-40 Motorcycle Oil	18040	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 10W-40 w/Moly JASO MB	18041	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 10W-50 Motorcycle Oil	18042	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 20W-50 Motorcycle Oil	18043	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 75W-140 V-Twin Gear Oil	18044	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Primary Chaincase Oil	18045	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 0W-40 SXS API SL	18046	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 10W-30 SXS API SL	18047	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 5W-50 SXS API SL	18048	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 10W-50 SXS API SL	18049	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SXS Transmission Fluid	18050	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SXS Command Drive	18051	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SXS Multi-Purpose Gearcase & Diff	18052	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
SAE 30 Plus API SM	18053	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases
Syn SAE 75W-140 Gear Oil	18054	1x1	6 Gallon	22.7 L	46 lbs	21 kg	40 Cases



— UNITED STATES —
LucasOil.com

Corporate Headquarters, California
302 North Sheridan Street
Corona, CA 92878
(951) 270-0154 • Fax (951) 270-1902
Toll Free (800) 342-2512

Manufacturing Facility, Indiana
3199 Harrison Way NW
Corydon, IN 47112-6903
(812) 738-1147 • Fax (812) 734-0466
Toll Free (800) 261-0392

contact@lucasoil.com

— UNITED KINGDOM LTD. —
LucasOil.co.uk

European Headquarters
Unit 4 Cunliffe Drive
Llangefni Industrial Estate • Llangefni
Anglesey, LL77 7JA • UK
Tel. 01248-723-666 • Fax 01248-723-275
Toll Free 0808-100-3259
contact@lucasoil.co.uk

— AUSTRALIA & NEW ZEALAND —
LucasOil.com.au

Logan Distribution LTD.
38 Spartan Rd • Takanini
Auckland 2246 • New Zealand
Tel. +64 9 267-2246
Fax 03 8579-1366
Toll Free 1800 686 632
contact@lucasoil.com.au

— CANADA —
LucasOil.ca

Fax (888) 281-7373
Toll Free (888) 878-6973
contact@lucasoil.ca

— MEXICO —
LucasOil.com.mx

Tel (951) 270-0154 • Fax (951) 270-1902
Toll Free (800) 342-2512
contact@lucasoil.com.mx

Copyright © 02/2021 Lucas Oil Products, Inc.
60048

LucasOil.com

